## Sample Submission and Reporting Form

## RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection: Sample Receipt:

Temperature Controls: Raw: °C Processed: °C Size: Temperature: Raw: °C Processed: °C

Processor/Distributor: MILKCO, INC SINGLE SERVICE ID#: 37-82 Received by: Darneice Lyons

Environmental Microbiology Sample Group: ES011911-0195

	SAMPLE INFORMATION			RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
61		Gallon	#1 Plastic 1936						< 50	< 10
62		Gallon	#1 Plastic 1938						50	< 10
63		Gallon	#2 Plastic 71						< 50	< 10
64		Gallon	#2 Plastic 72						< 50	< 10
65		Gallon	#3 Plastic 406						< 50	< 10
66		Gallon	#3 Plastic 409						< 50	< 10
67		Gallon	#4 Plastic 68						< 50	< 10
68		Gallon	#4 Plastic 69						< 50	< 10
69		Gallon	#5 Plastic 54						< 50	< 10
70		Gallon	#5 Plastic 50						< 50	< 10

**CONTROLS:** 

Inhibitor test used:

Analyzed by: Susan Beasley PAC: 0 Equip: 0

 Plating Date:
 01/19/2011
 Time:
 11:25
 Air Density:
 0 /15 min
 Diluent and NB:
 - / 0

Temperature when analyzed: °C

SSF: Incubation temperature: 32.0 °C

Approved By: Susan Beasley Inhibitor Positive Control:

Stean Basley