

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 02/07/2012 **Time:** 10:30 **Collector:** Chris Alexander
Temperature Controls: **Raw:** °C **Processed:** °C **Size:**
Processor/Distributor: MILKCO, INC SINGLE SERVICE **ID#:** 37-82

Sample Receipt:

Date: 02/08/2012 **Time:** 07:40
Temperature: **Raw:** °C **Processed:** °C
Received by: Susan Beasley

Environmental Microbiology

Sample Group: ES020812-0151

| SAMPLE INFORMATION | | | | RAW AND PROCESSED DAIRY PRODUCTS | | | | CONTAINERS | |
|--------------------|-----------|--------|-----------------|----------------------------------|-----------|--------------------------|-------------------------|------------|----------------|
| Lab No. | Code Date | Size | Description | Residual Phos | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC | PRBC PRCC |
| 183 | | Gallon | #1 Plastic 2439 | | | | | | < 50 < 10 |
| 184 | | Gallon | #1 Plastic 2440 | | | | | | < 50 < 10 |
| 185 | | Gallon | #3 Plastic 11 | | | | | | < 50 < 10 |
| 186 | | Gallon | #3 Plastic 13 | | | | | | < 50 < 10 |
| 187 | | Gallon | #4 Plastic 67 | | | | | | < 50 < 10 |
| 188 | | Gallon | #4 Plastic 68 | | | | | | < 50 < 10 |
| 189 | | Gallon | #5 Plastic 52 | | | | | | < 50 < 10 |
| 190 | | Gallon | #5 Plastic 54 | | | | | | < 50 < 10 |

CONTROLS:

Analyzed by: Susan Beasley
Plating Date: 02/08/2012 **Time:** 09:45
Temperature when analyzed: °C
SSF:
Comment: #2 Containers not received.
Approved By: Susan Beasley

PAC: 0 **Equip:** 0
Air Density: 0 /15 min **Diluent and NB:** - / 0

Incubation temperature: 32.0 °C
Inhibitor test used:
Inhibitor Positive Control:
Inhibitor Negative Control: