

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 02/25/2009 **Time:** 14:10 **Collector:** K. Sykes
Temperature Controls: **Raw:** 37 °F **Processed:** 34 °F **Size:** Quart
Processor/Distributor: MAOLA MILK & ICE CREAM **ID#:** 37-43

Sample Receipt:

Date: 02/26/2009 **Time:** 08:00
Temperature: **Raw:** 1.0 °C **Processed:** 1.0 °C
Received by: Darneice Lyons

Environmental Microbiology

Sample Group: ES022609-0052

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
280	3-13	Quart	Skim Milk	Not Found	Not Found	< 1 EPCC/ml	< 250 EPAC/ml			
281	3-14	Half Pint	Skim Chocolate	Not Found	Not Found	< 1 EHSCC/mL	< 250 EPAC/ml			
282	3-14	Half Pint	1% Milk	Not Found	Not Found	< 1 EPCC/ml	< 250 EPAC/ml			
283	3-14	Half Pint	1% Chocolate Milk	Not Found	Not Found	< 1 EHSCC/mL	< 250 EPAC/ml			
284	3-13	1/2 Gallon	1% Acidophilus	Not Found		< 1 EHSCC/mL				
285	3-14	Half Pint	2% Milk	Not Found	Not Found	< 1 EPCC/ml	< 250 EPAC/ml			
286	3-13	Quart	Homo (Whole) Milk	Not Found	Not Found	< 1 EPCC/ml	< 250 EPAC/ml			
287	3-28	Quart	Non Fat Buttermilk	Not Found		< 1 EHSCC/g				
288	3-16	1/2 Gallon	Whole Buttermilk	Not Found		< 1 EHSCC/g				
289	3-27	1/2 Gallon	Buttermilk Blend	Not Found		< 1 EHSCC/g				
290	2-25	2 Ounces	Past. Cream (Rt 8 40*)	Not Found	Not Found	< 1 EHSCC/g	< 250 EPAC/g			
291	2-25	2 Ounces	In Plant Raw Milk (Rt 1 38)		Not Found		66000 PAC/ml			
292	2-25	2 Ounces	In Plant Raw Milk (Rt 2 38)		Not Found		8600 PAC/ml			
293	2-25	2 Ounces	In Plant Raw Milk (Rt 3 37)		Not Found		14000 PAC/ml			

CONTROLS:

Analyzed by: Benjamin Saavedra
Plating Date: 02/26/2009 **Time:** 09:30
Temperature when analyzed: 1.0 °C
SSF:

Approved By: Susan Beasley

PAC: 0 **Equip:** 0
Air Density: 0 /15 min **Diluent and NB:** 0 / -
Incubation temperature: 32.0 °C
Inhibitor test used: Delvo P5
Inhibitor Positive Control: Purple
Inhibitor Negative Control: Yellow