

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 03/10/2009 **Time:** 10:10 **Collector:** Chris Alexander
Temperature Controls: **Raw:** °C **Processed:** °C **Size:**
Processor/Distributor: MILKCO INC **ID#:** 37-82

Sample Receipt:

Date: 03/11/2009 **Time:** 08:00
Temperature: **Raw:** °C **Processed:** °C
Received by: Benjamin Saavedra

Environmental Microbiology

Sample Group: ES031109-0121

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
339	37-82	1 Gallon	#1 Plastic 1936						< 50	< 10
340	37-82	1 Gallon	#1 Plastic 1939						< 50	< 10
341	37-82	1 Gallon	#2 Plastic 70						< 50	< 10
342	37-82	1 Gallon	#2 Plastic 72						< 50	< 10
343	37-82	1 Gallon	#3 Plasticn 52						< 50	< 10
344	37-82	1 Gallon	#3 Plastic 54						< 50	< 10
345	37-82	1 Gallon	#4 Plastic 67						< 50	< 10
346	37-82	1 Gallon	#4 Plastic 68						< 50	< 10
347	37-82	1 Gallon	#5 Plastic 11						< 50	< 10
348	37-82	1 Gallon	#5 Plastic 15						< 50	< 10

CONTROLS:

Analyzed by: Benjamin Saavedra
Plating Date: 03/11/2009 **Time:** 09:00
Temperature when analyzed: °C
SSF:

PAC: 0 **Equip:** 0
Air Density: 1 /15 min **Diluent and NB:** - / 0

Incubation temperature: 32.0 °C
Inhibitor test used:
Inhibitor Positive Control:
Inhibitor Negative Control:

Approved By: Susan Beasley