

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 03/15/2010 **Time:** 09:00 **Collector:** Chris Alexander
Temperature Controls: **Raw:** 36 °F **Processed:** 36 °F **Size:** Half Gallon
Processor/Distributor: MILKCO INC **ID#:** 37-82

Sample Receipt:

Date: 03/16/2010 **Time:** 08:00
Temperature: **Raw:** 3.0 °C **Processed:** 1.5 °C
Received by: Joy Hayes

Environmental Microbiology

Sample Group: ES031610-0078

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS	
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC PRCC
383	APR 02	Gallon	2% Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml		
384		4 Ounces	RT-8 Raw Milk		Not Found		44000 PAC/ml		
385		4 Ounces	RT-7 Raw Milk		Not Found		8600 PAC/ml		
386		4 Ounces	RT-6 Raw Milk		Not Found		7300 PAC/ml		

CONTROLS:

Analyzed by: Darneice Lyons
Plating Date: 03/16/2010 **Time:** 09:30
Temperature when analyzed: 1.5 °C
SSF:

PAC: 0 **Equip:** 0
Air Density: 1 /15 min **Diluent and NB:** 0/-

Incubation temperature: 32.0 °C
Inhibitor test used: Delvo P5
Inhibitor Positive Control: Purple
Inhibitor Negative Control: Yellow

Approved By: Susan Beasley