

**Sample Submission and Reporting Form**

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 03/20/12      **Time:** 14:00      **Collector:** Ken Sykes  
**Temperature Controls:**      **Raw:** 35 °F      **Processed:** 34 °F      **Size:** Half Gallon  
**Processor/Distributor:** MAOLA MILK & ICE CREAM      **ID#:** 37-43

**Sample Receipt:**

**Date:** 03/21/12      **Time:** 07:45  
**Temperature:**      **Raw:** 1.0 °C      **Processed:** 1.0 °C  
**Received by:** Darneice Lyons

**Environmental Microbiology**

**Sample Group: ES032112-0129**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
417	4-06	Half Pint	Skim ( paper)	Not Found	Not Found	<1 EPCC/ml	290 EPAC/ml			
418	4-05	Half Pint	Skim Chocolate (paper)	Not Found	Not Found	<1 EHSCC/mL	900 PAC/ml			
419	4-06	Half Pint	1% (paper)	Not Found	Not Found	<1 EPCC/ml	490 PAC/ml			
420	4-05	14 Ounces	1% Chocolate	Not Found	Not Found	<1 EHSCC/mL	1400 PAC/ml			
421	4-05	Half Pint	1% Strawberry (paper)	Not Found		<1 EHSCC/mL	590 PAC/ml			
422	4-05	14 Ounces	2%	Not Found	Not Found	<1 EPCC/ml	990 PAC/ml			
423	4-06	Quart	Homo (Whole)	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
424	4-06	Gallon	Half & Half	Not Found	Not Found	<1 EHSCC/g	900 PAC/g			
425	4-5	1/2 Gallon	Whipping Cream	Not Found	Not Found	<1 EHSCC/g	740 PAC/g			
426	4-18	Quart	Nonfat Buttermilk	Not Found		<1 EHSCC/g				
427	4-18	1/2 Gallon	Buttermilk Blend	Not Found		<1 EHSCC/g				
428	3-20	2 Ounces	Past. Cream (PT 8 38*)	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			
429	3-20	2 Ounces	In Plant Raw (RT1 35*)		Not Found		5700 PAC/ml			
430	3-20	2 Ounces	In Plant Raw (RT2 36*)		Not Found		6400 PAC/ml			
431	3-20	2 Ounces	In Plant Raw (RT3 35*)		Not Found		8400 PAC/ml			

**CONTROLS:**

**Analyzed By:** Joy Hayes

**Plating Date:** 03/21/12      **Time:** 08:45

**Temperature when Analyzed:** 1.0 °C

**Comment:**

**Approved By:** Susan Beasley

**PAC:** 0

**Equip:** 0

**Air Density:** 0 /15 min

**Diluent and NB:** 0/-

**Incubation Temperature:** 32.0 °C

**Inhibitor Test Used:** Delvo P5

**Inhibitor Positive Control:** Purple

**Inhibitor Negative Control:** Yellow