

## Sample Submission and Reporting Form

## RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

## Sample Collection:

Date: 03/22/2011 Time: 10:00 Collector: Chris Alexander  
 Temperature Controls: Raw: °C Processed: °C Size:  
 Processor/Distributor: MILKCO, INC SINGLE SERVICE ID#: 37-82

## Sample Receipt:

Date: 03/23/2011 Time: 08:15  
 Temperature: Raw: °C Processed: °C  
 Received by: Darneice Lyons

## Environmental Microbiology

Sample Group: ES032311-0160

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS	
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC PRCC
428		Gallon	#1 Plastic 2438						< 50 < 10
429		Gallon	#1 Plastic 2439						< 50 < 10
430		Gallon	#2 Plastic 71						< 50 < 10
431		Gallon	#2 Plastic 72						< 50 < 10
432		Gallon	#3 Plastic 11						< 50 < 10
433		Gallon	#3 Plastic 13						50 < 10
434		Gallon	#4 Plastic 67						< 50 < 10
435		Gallon	#4 Plastic 68						< 50 < 10
436		Gallon	#5 Plastic 50						< 50 < 10
437		Gallon	#5 Plastic 54						< 50 < 10

## CONTROLS:

Analyzed by: Susan Beasley  
 Plating Date: 03/23/2011 Time: 11:30  
 Temperature when analyzed: °C  
 SSF:

PAC: 0 Equip: 0  
 Air Density: 0 /15 min Diluent and NB: - / 0

Incubation temperature: 32.0 °C

Inhibitor test used:

Inhibitor Positive Control:

Inhibitor Negative Control:

Approved By: Susan Beasley