

Sample Submission and Reporting Form

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 04/05/2010      **Time:** 15:15      **Collector:** Joe Briscoe  
**Temperature Controls:**      **Raw:**      °C      **Processed:**      °C      **Size:**  
**Processor/Distributor:** Consolidated Containers      **ID#:** 37-S103  
    -Thomasville

**Sample Receipt:**

**Date:** 04/06/2010      **Time:** 08:00  
**Temperature:**      **Raw:**      °C      **Processed:**      °C  
**Received by:** Darneice Lyons

**Environmental Microbiology**

**Sample Group: ES040610-0124**

| SAMPLE INFORMATION |           |        |              | RAW AND PROCESSED DAIRY PRODUCTS |           |                          |                         | CONTAINERS |                |
|--------------------|-----------|--------|--------------|----------------------------------|-----------|--------------------------|-------------------------|------------|----------------|
| Lab No.            | Code Date | Size   | Description  | Residual Phos                    | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC      | PRBC      PRCC |
| 502                |           | Gallon | Container 8  |                                  |           |                          |                         |            | < 50      < 10 |
| 503                |           | Gallon | Container 10 |                                  |           |                          |                         |            | < 50      < 10 |
| 504                |           | Gallon | Container 11 |                                  |           |                          |                         |            | < 50      < 10 |
| 505                |           | Gallon | Container 11 |                                  |           |                          |                         |            | < 50      < 10 |

**CONTROLS:**

**Analyzed by:** Darneice Lyons  
**Plating Date:** 04/06/2010      **Time:** 10:20  
**Temperature when analyzed:**      °C  
**SSF:**

**PAC:** 0      **Equip:** 0  
**Air Density:** 0 /15 min      **Diluent and NB:** - / 0

**Incubation temperature:** 32.0 °C

**Inhibitor test used:**

**Inhibitor Positive Control:**

**Inhibitor Negative Control:**

**Approved By:** Susan Beasley

