

Sample Submission and Reporting Form

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 04/05/2010      **Time:** 11:30      **Collector:** Joe Briscoe  
**Temperature Controls:**      **Raw:**      °C      **Processed:**      °C      **Size:**  
**Processor/Distributor:** DAIRYFRESH SS-HIGH POINT      **ID#:** 37-SS102

**Sample Receipt:**

**Date:** 04/06/2010      **Time:** 08:00  
**Temperature:**      **Raw:**      °C      **Processed:**      °C  
**Received by:** Darneice Lyons

**Environmental Microbiology**

**Sample Group: ES040610-0125**

| SAMPLE INFORMATION |           |        |               | RAW AND PROCESSED DAIRY PRODUCTS |           |                          |                         |       | CONTAINERS |      |
|--------------------|-----------|--------|---------------|----------------------------------|-----------|--------------------------|-------------------------|-------|------------|------|
| Lab No.            | Code Date | Size   | Description   | Residual Phos                    | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC | PRBC       | PRCC |
| 506                |           | Gallon | Container 523 |                                  |           |                          |                         |       | < 50       | < 10 |
| 507                |           | Gallon | Container 524 |                                  |           |                          |                         |       | < 50       | < 10 |
| 508                |           | Gallon | Container 518 |                                  |           |                          |                         |       | < 50       | < 10 |
| 509                |           | Gallon | Container 520 |                                  |           |                          |                         |       | < 50       | < 10 |

**CONTROLS:**

**Analyzed by:** Darneice Lyons

**Plating Date:** 04/06/2010      **Time:** 10:20

**Temperature when analyzed:**      °C

**SSF:**

**Approved By:** Susan Beasley



**PAC:** 0      **Equip:** 0

**Air Density:** 0 /15 min      **Diluent and NB:** -/0

**Incubation temperature:** 32.0 °C

**Inhibitor test used:**

**Inhibitor Positive Control:**

**Inhibitor Negative Control:**