

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 04/12/2011 **Time:** 09:30 **Collector:** Chris Alexander
Temperature Controls: **Raw:** °C **Processed:** °C **Size:**
Processor/Distributor: MILKCO, INC SINGLE SERVICE **ID#:** 37-82

Sample Receipt:

Date: 04/13/2011 **Time:** 08:00
Temperature: **Raw:** °C **Processed:** °C
Received by: Susan Beasley

Environmental Microbiology

Sample Group: ES041311-0175

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS	
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC PRCC
589		Gallon	#1 Plastic 2439						< 50 < 10
590		Gallon	#1 Plastic 2440						< 50 < 10
591		Gallon	#2 Plastic 72						< 50 < 10
592		Gallon	#2 Plastic 73						< 50 < 10
593		Gallon	#3 Plastic 11						50 < 10
594		Gallon	#3 Plastic 15						< 50 < 10
595		Gallon	#4 Plastic 68						< 50 < 10
596		Gallon	#4 Plastic 69						< 50 < 10
597		Gallon	#5 Plastic 54						< 50 < 10
598		Gallon	#5 Plastic 55						< 50 < 10

CONTROLS:

Analyzed by: Susan Beasley
Plating Date: 04/13/2011 **Time:** 11:00
Temperature when analyzed: °C
SSF:

PAC: 0 **Equip:** 0
Air Density: 0 /15 min **Diluent and NB:** - / 0

Incubation temperature: 32.0 °C
Inhibitor test used:
Inhibitor Positive Control:
Inhibitor Negative Control:

Approved By: Susan Beasley