

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 04/20/2009 **Time:** 15:30 **Collector:** Joe Briscoe
Temperature Controls: **Raw:** °C **Processed:** °C **Size:**
Processor/Distributor: DAIRY FRESH SS-HIGH POINT **ID#:** 37-SS102

Sample Receipt:

Date: 04/21/2009 **Time:** 08:00
Temperature: **Raw:** °C **Processed:** °C
Received by: Benjamin Saavedra

Environmental Microbiology

Sample Group: ES042109-0066

| SAMPLE INFORMATION | | | | RAW AND PROCESSED DAIRY PRODUCTS | | | | CONTAINERS | | |
|--------------------|-----------|----------|-------------------|----------------------------------|-----------|--------------------------|-------------------------|------------|------|------|
| Lab No. | Code Date | Size | Description | Residual Phos | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC | PRBC | PRCC |
| 542 | | 1 Gallon | Milk Container 45 | | | | | | < 50 | < 10 |
| 543 | | 1 Gallon | Milk Container 46 | | | | | | < 50 | < 10 |
| 544 | | 1 Gallon | Milk Container 50 | | | | | | < 50 | < 10 |
| 545 | | 1 Gallon | Milk Container 52 | | | | | | < 50 | < 10 |

CONTROLS:

Analyzed by: Benjamin Saavedra

Plating Date: 04/21/2009 **Time:** 09:30

Temperature when analyzed: °C

SSF:

Approved By: Susan Beasley

PAC: 0

Air Density: 2 /15 min

Incubation temperature:

Inhibitor test used:

Inhibitor Positive Control:

Inhibitor Negative Control:

Equip: 0

Diluent and NB: - / 0

32.0 °C