

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 05/05/2009 **Time:** 10:00 **Collector:** Ken Sykes
Temperature Controls: **Raw:** 39 °F **Processed:** 38 °F **Size:** Half Gallon
Processor/Distributor: JACKSON DAIRY **ID#:** 37-89

Sample Receipt:

Date: 05/05/2009 **Time:** 13:25
Temperature: **Raw:** 0.5 °C **Processed:** 0.5 °C
Received by: Darneice Lyons

Environmental Microbiology

Sample Group: ES050609-0057

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
623	5-22	1/2 Gallon	Skim Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
624	5-22	Gallon	1% Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
625	5-22	1/2 Gallon	2% Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
626	5-22	1/2 Gallon	Homo Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
627	5-22	1/2 Gallon	Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
628	5-5	2 Ounces	Farm Raw Milk		Not Found		<2500 EPAC/ml	350000		
629	5-5	2 Ounces	In Plant Raw		Not Found		<2500 EPAC/ml			

CONTROLS:

Analyzed by: Darneice Lyons	PAC: 0	Equip: 0
Plating Date: 05/06/2009 Time: 08:45	Air Density: 1 /15 min	Diluent and NB: 0
Temperature when analyzed: 2.0 °C		
SSF: 4030	Incubation temperature: 32.0 °C	
	Inhibitor test used: Delvo P5	
	Inhibitor Positive Control: Purple	
Approved By: Joy Hayes	Inhibitor Negative Control: Yellow	