

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 05/11/2009 **Time:** 10:00 **Collector:** Joe Briscoe
Temperature Controls: **Raw:** 38 °F **Processed:** 2 °C **Size:** Half Gallon
Processor/Distributor: DAIRYFRESH LLC Winston Salem **ID#:** 37-83

Sample Receipt:

Date: 05/12/2009 **Time:** 07:45
Temperature: **Raw:** 1.5 °C **Processed:** 1.5 °C
Received by: Susan Beasley

Environmental Microbiology

Sample Group: ES051209-0071

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
638	5-24	Gallon	Homo Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
639	5-24	1/2 Gallon	2% Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
640	5-25	1/2 Gallon	Skim Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
641	5-27	Half Pint	Skim Milk	Not Found	Not Found	1 PCC/ml	<250 EPAC/ml			
642	5-24	1/2 Gallon	Chocolate Milk	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
643	5-23	Half Pint	1% Chocolate Milk	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
644	5-25	Half Pint	Skim Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
645	5-22	Half Pint	1% Strawberry Milk	Not Found		<1 EHSCC/mL	<250 EPAC/ml			
646	5-31	1/2 Gallon	Whole Buttermilk	Not Found		<1 EHSCC/g				
647	5-31	1/2 Gallon	Skim Buttermilk	Not Found		<1 EHSCC/g				
648			In-Plant Raw #2 (38*)		Not Found		11000 PAC/ml			
649			Past. Cream (41*)	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			

CONTROLS:

Analyzed by: Susan Beasley

Plating Date: 05/12/2009 **Time:** 08:45

Temperature when analyzed: 1.5 °C

SSF:

Approved By: Susan Beasley

PAC: 0 **Equip:** 0

Air Density: 1 /15 min **Diluent and NB:** 0 / -

Incubation temperature: 32.0 °C

Inhibitor test used: Delvo P5

Inhibitor Positive Control: Purple

Inhibitor Negative Control: Yellow