

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 05/12/2009 **Time:** 09:30 **Collector:** Chris Alexander
Temperature Controls: **Raw:** °C **Processed:** °C **Size:**
Processor/Distributor: MILKCO, INC SINGLE SERVICE **ID#:** 37-82

Sample Receipt:

Date: 05/13/2009 **Time:** 08:00
Temperature: **Raw:** °C **Processed:** °C
Received by: Darneice Lyons

Environmental Microbiology

Sample Group: ES051309-0076

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
683	37-82	Gallon	Milk Container #1 (1936)						< 50	< 10
684	37-82	Gallon	Milk Container #1 (1937)						50	< 10
687	37-82	Gallon	Milk Container #3 (50)						< 50	< 10
688	37-82	Gallon	Milk Container #3 (52)						< 50	< 10
689	37-82	Gallon	Milk Container #4 (68)						< 50	< 10
690	37-82	Gallon	Milk Container #4 (70)						< 50	< 10
691	37-82	Gallon	Milk Container #5 (11)						50	< 10
692	37-82	Gallon	Milk Container #5 (15)						< 50	< 10

CONTROLS:

Analyzed by: Darneice Lyons

Plating Date: 05/13/2009 **Time:** 10:00

Temperature when analyzed: °C

SSF:

Approved By: Susan Beasley

PAC: 0

Equip: 0

Air Density: 0 /15 min

Diluent and NB: - / 0

Incubation temperature: 32.0 °C

Inhibitor test used:

Inhibitor Positive Control:

Inhibitor Negative Control: