

**Sample Submission and Reporting Form**

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 05/14/13      **Time:** 12:15      **Collector:** Michael Dennis  
**Temperature Controls:**      **Raw:** 3.0 °C      **Processed:** 4.0 °C      **Size:** Half Gallon  
**Processor/Distributor:** HUNTER FARMS      **ID#:** 37-087

**Sample Receipt:**

**Date:** 05/15/13      **Time:** 07:30  
**Temperature:**      **Raw:** 2.0 °C      **Processed:** 0.5 °C  
**Received by:** Holly Braswell

**Environmental Microbiology**

**Sample Group: ES051513-0135**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
701	May 31	1/2 Gallon	Homo	Not Found	Not Found	<1 EPCC/ml	420 PAC/ml			
702	May 31	1/2 Gallon	2%	Not Found	Not Found	<1 EPCC/ml	250 PAC/ml			
703	May 31	1/2 Gallon	1%	Not Found	Not Found	<1 EPCC/ml	290 PAC/ml			
704	Jun. 1	Gallon	1/2%	Not Found	Not Found	<1 EPCC/ml	340 PAC/ml			
705	May 31	1/2 Gallon	Skim	Not Found	Not Found	<1 EPCC/ml	340 PAC/ml			
706	May 29	1/2 Gallon	Chocolate	Not Found	Not Found	<1 EHSCC/mL	680 PAC/ml			
707	May 25	1/2 Gallon	Low Fat Chocolate	Not Found	Not Found	<1 EHSCC/mL	8400 PAC/ml			
708	May 31	Gallon	Buttermilk	Not Found		<1 EHSCC/g				
709	Jun. 6	1/2 Gallon	1% Buttermilk	Not Found		<1 EHSCC/g				
710	Jun. 5	1/2 Gallon	Non-fat Buttermilk	Not Found		<1 EHSCC/g				
711	Jul. 11	8 Ounces	Sour Cream	Not Found		<1 EHSCC/g				
712	Jul. 5	16 Ounces	Lite Sour Cream	Not Found		12 HSCC/g				
713	Jun. 29	8 Ounces	Fat Free Sour Cream	Not Found		19 HSCC/g				
714	Jul. 12	6 Ounces	Light Yogurt	Not Found		<1 EHSCC/g				
715		100 mL	In Plant Raw RT-5		Not Found		5400 PAC/ml			

**CONTROLS:**

**Analyzed By:** Darneice Lyons

**Plating Date:** 05/15/13      **Time:** 10:50

**Temperature when Analyzed:** 2.0 °C

**Comment:**

**Approved By:** Susan Beasley

**PAC:** 0

**Equip:** 0

**Air Density:** 1 /15 min

**Diluent and NB:** 0 / -

**Incubation Temperature:** 32.0 °C

**Inhibitor Test Used:** Delvo P5

**Inhibitor Positive Control:** Purple

**Inhibitor Negative Control:** Yellow