

## Sample Submission and Reporting Form

## RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

## Sample Collection:

Date: 05/26/15 Time: 12:00 Collector: Joe Briscoe  
Temperature Controls: Raw: °C Processed: °C Size:  
Processor/Distributor: CCC-GREENSBORO ID#: 37-SS90

## Sample Receipt:

Date: 05/27/15 Time: 07:30  
Temperature: Raw: °C Processed: °C  
Received by: Darneice Owens

## Environmental Microbiology

Sample Group: ES052715-0105

| SAMPLE INFORMATION |           |            |               | RAW AND PROCESSED DAIRY PRODUCTS |           |                          |                         | CONTAINERS |      |      |
|--------------------|-----------|------------|---------------|----------------------------------|-----------|--------------------------|-------------------------|------------|------|------|
| Lab No             | Code Date | Size       | Description   | Residual Phos                    | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC      | PRBC | PRCC |
| 908                |           | Gallon     | Gal 498       |                                  |           |                          |                         |            | < 50 | <10  |
| 909                |           | Gallon     | Gal 497       |                                  |           |                          |                         |            | < 50 | <10  |
| 910                |           | 1/2 Gallon | 1/2 74        |                                  |           |                          |                         |            | < 25 | <5   |
| 911                |           | 1/2 Gallon | 1/2 White 553 |                                  |           |                          |                         |            | < 25 | <5   |
| 912                |           | Pint       | Pint Pet 3    |                                  |           |                          |                         |            | < 10 | <2   |
| 913                |           | Pint       | Pint Pet 3    |                                  |           |                          |                         |            | < 10 | <2   |
| 914                |           | Pint       | Pint Pet 4    |                                  |           |                          |                         |            | < 10 | <2   |
| 915                |           | Pint       | Pint Pet 4    |                                  |           |                          |                         |            | < 10 | <2   |

## CONTROLS:

Analyzed By: Darneice Owens

Plating Date: 05/27/15 Time: 11:15

PAC: 0

Equip: 0

Air Density: 0 /15 min

Diluent and NB: -/0

Incubation Temperature: 32.0 °C

Comment:

Approved By: Susan Beasley

