

**Sample Submission and Reporting Form**

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 06/09/2009      **Time:** 10:00      **Collector:** Joe Briscoe  
**Temperature Controls:**      **Raw:** 36 °F      **Processed:** 3 °C      **Size:** Half Gallon  
**Processor/Distributor:** DAIRYFRESH LLC Winston Salem      **ID#:** 37-83

**Sample Receipt:**

**Date:** 06/10/2009      **Time:** 08:00  
**Temperature:**      **Raw:** 2.0 °C      **Processed:** 1.0 °C  
**Received by:** Darneice Lyons

**Environmental Microbiology**

**Sample Group: ES061009-0090**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
814	6-25	Gallon	Homo Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
815	6-24	Half Pint	2% Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
816	6-26	1/2 Gallon	1% Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
817	6-25	Half Pint	Skim Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
818	6-25	1/2 Gallon	Chocolate Milk	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
819	6-24	Half Pint	1% Chocolate Milk	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
820	6-21	Half Pint	1% Strawberry Milk	Not Found		<1 EHSCC/mL	<250 EPAC/ml			
821	6-28	1/2 Gallon	Whole Buttermilk	Not Found		<1 EHSCC/g				
822	6-28	1/2 Gallon	Skim Buttermilk	Not Found		<1 EHSCC/g				
823			In Plant Raw #4 36*		Not Found		64000 PAC/ml			
824			Past Cream 43*	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			

**CONTROLS:**

**Analyzed by:** Joy Hayes  
**Plating Date:** 06/10/2009      **Time:** 09:00  
**Temperature when analyzed:** 1.0 °C  
**SSF:**

**Approved By:** Susan Beasley

**PAC:** 0      **Equip:** 0  
**Air Density:** 3 /15 min      **Diluent and NB:** 0 / -  
**Incubation temperature:** 32.0 °C  
**Inhibitor test used:** Delvo P5  
**Inhibitor Positive Control:** Purple  
**Inhibitor Negative Control:** Yellow