RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:						Sample Receipt:				
Date: 06/09/2009	Time: 10:3	0 Collector:	Joe Bri	scoe		Date: 06/10/2009	Time:	08:00		
Temperature Controls:	Raw:	°C Processed	°C	Size:		Temperature:	Raw:	°C	Processed:	°C
Processor/Distributor:	DAIRYFRESH	LLC SINGLE SERV.	W-S	ID#:	37-SS83	Received by:	Darnei	ce Lyons		

Environmental Microbiology

SAMPLE INFORMATION

Sample Group: ES061009-0091

CONTAINERS

Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
825		Gallon	Milk Container 507						< 50	< 10
826		Gallon	Milk Container 508						< 50	< 10
827		Gallon	Milk Container 511						< 50	< 10
828		Gallon	Milk Container 512						50	< 10

RAW AND PROCESSED DAIRY PRODUCTS

		CONTROLS:		
Analyzed by:	Darneice Lyons	PAC: 0	Equip: 0	
Plating Date:	06/10/2009 Time: 09:15	Air Density: 0 /15 min	Diluent and NB: - / 0	
Temperature wh	en analyzed: °C			
SSF:		Incubation temperature:	32.0 °C	
		Inhibitor test used:		
		Inhibitor Positive Control:		
Approved By:	Susan Beasley	Inhibitor Negative Control:		