

**Sample Submission and Reporting Form**

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 06/09/15      **Time:** 10:30      **Collector:** Jeff Richardson  
**Temperature Controls:**      **Raw:** 38 °F      **Processed:** 38 °F      **Size:** Half Gallon  
**Processor/Distributor:** MILKCO INC      **ID#:** 37-82

**Sample Receipt:**

**Date:** 06/10/15      **Time:** 07:30  
**Temperature:**      **Raw:** 1.0 °C      **Processed:** 0.5 °C  
**Received by:** Darneice Owens

**Environmental Microbiology**

**Sample Group: ES061015-0078**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
988	6/27	1/2 Gallon	Laura Lynn Delux	Not Found	Not Found	<1 EPCC/ml	420 PAC/ml			
989	7/1	1/2 Gallon	Sealtest FF Buttermilk	Not Found		<1 EHSCC/g				
990	7/1	1/2 Gallon	Sealtest Baking Buttermilk	Not Found		<1 EHSCC/g				
991	6/27	1/2 Gallon	Sealtest Chocolate	Not Found	Not Found	<1 EHSCC/mL	260 PAC/ml			
992	6/27	1/2 Gallon	Southern Dairies 1%	Not Found	Not Found	<1 EPCC/ml	1600 PAC/ml			
993	6/26	Half Pint	Sealtest FF Choc	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
994	6/27	8 Ounces	Sealtest 1% Choc	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
995		3 Ounces	Reverse Osmosis		Not Found		31000 PAC/ml			
996		3 Ounces	RT - 0		Not Found		3900 PAC/ml			
997		3 Ounces	RT - 3		Not Found		6200 PAC/ml			
998		3 Ounces	RT - 9		Not Found		14000 PAC/ml			
999		3 Ounces	RT - 10		Not Found		16000 PAC/ml			
1000		3 Ounces	RT - 11		Not Found		7300 PAC/ml			

**CONTROLS:**

**Analyzed By:** Denise Richardson

**Plating Date:** 06/10/15      **Time:** 09:15

**Temperature when Analyzed:** 1.0 °C

**Comment:**

**Approved By:** Susan Beasley



**PAC:** 1

**Equip:** 0

**Air Density:** 0 /15 min

**Diluent and NB:** 1/-

**Incubation Temperature:**

32.0 °C

**Inhibitor Test Used:**

Delvo P5

**Inhibitor Positive Control:**

Purple

**Inhibitor Negative Control:**

Yellow