

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 06/14/2010 **Time:** 11:30 **Collector:** Joe Briscoe
Temperature Controls: **Raw:** °C **Processed:** °C **Size:**
Processor/Distributor: DAIRYFRESH SS-HIGH POINT **ID#:** 37-SS102

Sample Receipt:

Date: 06/15/2010 **Time:** 08:00
Temperature: **Raw:** °C **Processed:** °C
Received by: Darneice Lyons

Environmental Microbiology

Sample Group: ES061510-0120

| SAMPLE INFORMATION | | | | RAW AND PROCESSED DAIRY PRODUCTS | | | | | CONTAINERS | |
|--------------------|-----------|--------|---------------|----------------------------------|-----------|--------------------------|-------------------------|-------|------------|------|
| Lab No. | Code Date | Size | Description | Residual Phos | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC | PRBC | PRCC |
| 885 | | Gallon | Container 517 | | | | | | < 50 | < 10 |
| 886 | | Gallon | Container 518 | | | | | | < 50 | < 10 |
| 887 | | Gallon | Container 523 | | | | | | < 50 | < 10 |
| 888 | | Gallon | Container 526 | | | | | | 50 | < 10 |

CONTROLS:

Analyzed by: Darneice Lyons

Plating Date: 06/15/2010 **Time:** 09:45

Temperature when analyzed: °C

SSF:

Approved By: Susan Beasley



PAC: 0

Equip: 0

Air Density: 0 /15 min

Diluent and NB: -/0

Incubation temperature: 31.5 °C

Inhibitor test used:

Inhibitor Positive Control:

Inhibitor Negative Control: