

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 06/21/2011 Time: 10:45 Collector: Chris Alexander
 Temperature Controls: Raw: °C Processed: °C Size:
 Processor/Distributor: MILKCO, INC SINGLE SERVICE ID#: 37-82

Sample Receipt:

Date: 06/22/2011 Time: 07:45
 Temperature: Raw: °C Processed: °C
 Received by: Susan Beasley

Environmental Microbiology

Sample Group: ES062211-0170

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS	
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC PRCC
940		Gallon	#1 Plastic 2438						< 50 < 10
941		Gallon	#1 Plastic 2440						< 50 < 10
942		Gallon	#2 Plastic 70						< 50 < 10
943		Gallon	#2 Plastic 72						< 50 < 10
944		Gallon	#3 Plastic 11						< 50 < 10
945		Gallon	#3 Plastic 13						< 50 < 10
946		Gallon	#4 Plastic 69						< 50 < 10
947		Gallon	#4 Plastic 67						< 50 < 10
948		Gallon	#5 Plastic 52						< 50 < 10
949		Gallon	#5 Plastic 54						< 50 < 10

CONTROLS:

Analyzed by: Susan Beasley
 Plating Date: 06/22/2011 Time: 10:20
 Temperature when analyzed: °C
 SSF:

PAC: 2 Equip: 1
 Air Density: 0 /15 min Diluent and NB: - / 2

Incubation temperature: 32.0 °C

Inhibitor test used:

Inhibitor Positive Control:

Inhibitor Negative Control:

Approved By: Susan Beasley