# RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

#### Sample Collection: Sample Receipt: Date: 07/21/2009 **Time:** 13:00 Michael J. Dennis Date: 07/22/2009 Time: 08:00 Collector: Raw: 4.5 °C Processed: 5.0 °C Size: Half Gallon **Temperature Controls:** Temperature: **Raw:** 2.0 °C Processed: 1.0 °C ID#: 37-087 Processor/Distributor: HUNTER FARMS Received by: Darneice Lyons

#### **Environmental Microbiology**

#### Sample Group: ES072309-0059

## SAMPLE INFORMATION

### RAW AND PROCESSED DAIRY PRODUCTS

#### CONTAINERS

Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1037	Aug 7	1/2 Gallon	Homo Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1038	Aug 7	1/2 Gallon	2% Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1039	Aug 7	1/2 Gallon	1% Milk	Not Found	Not Found	<1 EPCC/ml	390 PAC/ml			
1040	Aug 7	Gallon	1/2% Milk	Not Found	Not Found	<1 EPCC/ml	400 PAC/ml			
1041	Aug 7	1/2 Gallon	Skim Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1042	Aug 3	1/2 Gallon	Chocolate Milk	Not Found	Not Found	<1 EHSCC/mL	730 PAC/ml			
1043	Aug 14	1/2 Gallon	Whole Buttermilk	Not Found		<1 EHSCC/g				
1044	Aug 4	1/2 Gallon	1% Buttermilk	Not Found		<1 EHSCC/g				
1045	Aug 4	1/2 Gallon	Skim Buttermilk	Not Found		<1 EHSCC/g				
1046	•	100 mL	Heat Treated Cream CT-1		Not Found	-	<2500 EPAC/g			
1047		100 mL	In Plant Raw RT-7		Not Found		7800 PAC/ml			

			CONTROLS	S:
Analyzed by:	Darneice Lyons		<b>PAC:</b> 0	Equip: 0
Plating Date:	07/22/2009	<b>Time:</b> 10:40	Air Density: 1 /15 min	Diluent and NB: 0/-
Temperature whe	en analyzed:	1.0 °C		
SSF:			Incubation temperature:	32.0 °C
			Inhibitor test used:	Delvo P5
			Inhibitor Positive Control:	Purple
Approved By:	Susan Beasley		Inhibitor Negative Control:	Yellow