

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 07/23/12 Time: 13:30 Collector: K. Sykes
 Temperature Controls: Raw: 36 °F Processed: 36 °F Size: Half Gallon
 Processor/Distributor: MAOLA MILK & ICE CREAM ID#: 37-43

Sample Receipt:

Date: 07/24/12 Time: 07:45
 Temperature: Raw: 0.5 °C Processed: 0.5 °C
 Received by: Susan Beasley

Environmental Microbiology

Sample Group: ES072412-0157

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
983	8-6	Half Pint	Skim (paper)	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
984	8-6	Half Pint	Skim Chocolate (paper)	Not Found	Not Found	<1 EHSCC/mL	390 PAC/ml			
985	8-9	Half Pint	1%	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
986	8-9	14 Ounces	1% Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
987	8-9	14 Ounces	2%	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
988	8-9	14 Ounces	Homo	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
989	8-9	Gallon	Half & Half	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			
990	8-9	1/2 Gallon	Whipping Cream	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			
991	8-16	Quart	NonFat Buttermilk	Not Found		<1 EHSCC/g				
992	8-19	1/2 Gallon	Buttermilk Blend	Not Found		<1 EHSCC/g				
993	7-23	2 Ounces	Past. Cream PT8 40*	Not Found	Not Found	63 HSCC/g	2100 PAC/g			
994		2 Ounces	In Plant Raw RT 1 36*		Not Found		7500 PAC/ml			
995	7-23	2 Ounces	In Plant Raw RT 2 37*		Not Found		120000 PAC/ml			
996	7-23	2 Ounces	In Plant Raw RT 3 35*		Not Found		12000 PAC/ml			
997	7-23	2 Ounces	In Plant Raw RT 4 36*		Not Found		>2000000 EPAC/ml			

CONTROLS:

Analyzed By: Susan Beasley

Plating Date: 07/24/12 Time: 09:00

Temperature when Analyzed: 0.5 °C

Comment:

Approved By: Susan Beasley

PAC: 0

Equip: 1

Air Density: 2/15 min

Diluent and NB: 0/-

Incubation Temperature: 31.5 °C

Inhibitor Test Used: Delvo P5

Inhibitor Positive Control: Purple

Inhibitor Negative Control: Yellow