

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 07/27/2009 **Time:** 14:30 **Collector:** Joe Briscoe
Temperature Controls: **Raw:** 37 °F **Processed:** 3 °C **Size:** Half Gallon
Processor/Distributor: HOMELAND CREAMERY LLC **ID#:** 37-93

Sample Receipt:

Date: 07/28/2009 **Time:** 07:45
Temperature: **Raw:** 1.0 °C **Processed:** 1.0 °C
Received by: Darneice Lyons

Environmental Microbiology

Sample Group: ES072809-0083

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1048	8-11	1/2 Gallon	Homo Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1049	8-11	1/2 Gallon	Lowfat Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1050	8-14	1/2 Gallon	Skim Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1051	8-11	1/2 Gallon	Half & Half	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			
1052	8-11	1/2 Gallon	Cream	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			
1053	8-9	1/2 Gallon	Chocolate	Not Found	Not Found	<1 EHSCC/mL	6000 PAC/ml			
1054	8-21	1/2 Gallon	Buttermilk	Not Found		<1 EHSCC/g				
1055		4 Ounces	In Plant Raw 37*		Not Found		680000 EPAC/ml			

CONTROLS:

Analyzed by: Susan Beasley
Plating Date: 07/28/2009 **Time:** 09:15
Temperature when analyzed: 1.0 °C
SSF:

Approved By: Susan Beasley

PAC: 0 **Equip:** 0
Air Density: 2 /15 min **Diluent and NB:** 0 / -
Incubation temperature: 32.5 °C
Inhibitor test used: Delvo P5
Inhibitor Positive Control: Purple
Inhibitor Negative Control: Yellow