

Sample Submission and Reporting Form

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 08/03/15    **Time:** 12:00    **Collector:** Joe Briscoe  
**Temperature Controls:**    **Raw:** °C    **Processed:** °C    **Size:**  
**Processor/Distributor:** CKS PACKAGING    **ID#:** 37-SS86

**Sample Receipt:**

**Date:** 08/04/15    **Time:** 07:25  
**Temperature:**    **Raw:** °C    **Processed:** °C  
**Received by:** Darneice Owens

**Environmental Microbiology**

**Sample Group: ES080415-0165**

| SAMPLE INFORMATION |           |            |             | RAW AND PROCESSED DAIRY PRODUCTS |           |                          |                         | CONTAINERS |      |      |
|--------------------|-----------|------------|-------------|----------------------------------|-----------|--------------------------|-------------------------|------------|------|------|
| Lab No             | Code Date | Size       | Description | Residual Phos                    | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC      | PRBC | PRCC |
| 1290               |           | Pint       | Pint 1      |                                  |           |                          |                         |            | < 10 | <2   |
| 1291               |           | Pint       | Pint 2      |                                  |           |                          |                         |            | < 10 | <2   |
| 1292               |           | Pint       | Pint 3      |                                  |           |                          |                         |            | < 10 | <2   |
| 1293               |           | Pint       | Pint 4      |                                  |           |                          |                         |            | < 10 | <2   |
| 1294               |           | Pint       | Pint 5      |                                  |           |                          |                         |            | < 10 | <2   |
| 1295               |           | Pint       | Pint 6      |                                  |           |                          |                         |            | < 10 | <2   |
| 1296               |           | Gallon     | Gal 876     |                                  |           |                          |                         |            | < 50 | <10  |
| 1297               |           | Gallon     | Gal 1091    |                                  |           |                          |                         |            | < 50 | <10  |
| 1298               |           | Gallon     | Gal 308     |                                  |           |                          |                         |            | < 50 | <10  |
| 1299               |           | 1/2 Gallon | 1/2 89      |                                  |           |                          |                         |            | < 25 | <5   |
| 1300               |           | 1/2 Gallon | 1/2 White 3 |                                  |           |                          |                         |            | < 25 | <5   |

**CONTROLS:**

**Analyzed By:** Darneice Owens

**Plating Date:** 08/04/15    **Time:** 10:45

**PAC:** 0

**Air Density:** 0 /15 min

**Incubation Temperature:**

**Equip:** 0

**Diluent and NB:** -/0

32.0 °C

**Comment:** Pint containers 1, 2, 3, 4, 5, and 6 from Line 14.

**Approved By:** Susan Beasley