

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 08/10/2009 **Time:** 16:00 **Collector:** Joe Briscoe
Temperature Controls: **Raw:** °C **Processed:** °C **Size:**
Processor/Distributor: Consolidated Containers -Thomasville **ID#:** 37-

Sample Receipt:

Date: 08/11/2009 **Time:** 08:00
Temperature: **Raw:** °C **Processed:** °C
Received by: Susan Beasley

Environmental Microbiology

Sample Group: ES081109-0071

| SAMPLE INFORMATION | | | | RAW AND PROCESSED DAIRY PRODUCTS | | | | | CONTAINERS | |
|--------------------|-----------|--------|------------------|----------------------------------|-----------|--------------------------|-------------------------|-------|------------|------|
| Lab No. | Code Date | Size | Description | Residual Phos | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC | PRBC | PRCC |
| 1119 | | Gallon | Milk Container 8 | | | | | | 50 | < 10 |
| 1120 | | Gallon | Milk Container 8 | | | | | | < 50 | < 10 |
| 1121 | | Gallon | Milk Container 8 | | | | | | < 50 | < 10 |
| 1122 | | Gallon | Milk Container 6 | | | | | | < 50 | < 10 |

CONTROLS:

Analyzed by: Susan Beasley
Plating Date: 08/11/2009 **Time:** 10:00
Temperature when analyzed: °C
SSF:

PAC: 0 **Equip:** 0
Air Density: 0 /15 min **Diluent and NB:** -/0

Incubation temperature: 32.5 °C

Inhibitor test used:

Inhibitor Positive Control:

Inhibitor Negative Control:

Approved By: Susan Beasley