

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 08/24/2009 **Time:** 09:30 **Collector:** Chris Alexander
Temperature Controls: **Raw:** °C **Processed:** 36 °F **Size:** Half Gallon
Processor/Distributor: MILKCO INC **ID#:** 37-82

Sample Receipt:

Date: 08/25/2009 **Time:** 08:00
Temperature: **Raw:** °C **Processed:** 3.0 °C
Received by: Joy Hayes

Environmental Microbiology

Sample Group: ES082509-0050

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1173	09-07	Gallon	1 % Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1174	09-09	1/2 Gallon	Homo Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1175	09-09	1/2 Gallon	2 % Milk	Not Found	Not Found	<1 EPCC/ml	250 PAC/ml			
1176	09-09	1/2 Gallon	Fat Free Milk	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1177	09-05	1/2 Gallon	Light N Lively	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			

CONTROLS:

Analyzed by: Susan Beasley
Plating Date: 08/25/2009 **Time:** 09:30
Temperature when analyzed: 3.0 °C
SSF:

Approved By: Susan Beasley

PAC: 0 **Equip:** 2
Air Density: 1 /15 min **Diluent and NB:** 0 / -
Incubation temperature: 32.0 °C
Inhibitor test used: Delvo P5
Inhibitor Positive Control: Purple
Inhibitor Negative Control: Yellow