

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 08/24/2009 **Time:** 10:30 **Collector:** Chris Alexander
Temperature Controls: **Raw:** °C **Processed:** °C **Size:**
Processor/Distributor: MILKCO, INC SINGLE SERVICE **ID#:** 37-82

Sample Receipt:

Date: 08/25/2009 **Time:** 08:00
Temperature: **Raw:** °C **Processed:** °C
Received by: Joy Hayes

Environmental Microbiology

Sample Group: ES082509-0052

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1194	37-82	Gallon	# 1 Plastic 1936						< 50	< 10
1195	37-82	Gallon	# 1 Plastic 1939						< 50	< 10
1196	37-82	Gallon	# 2 Plastic 2438						< 50	< 10
1197	37-82	Gallon	# 2 Plastic 2439						< 50	< 10
1198	37-82	Gallon	# 3 Plastic 51						< 50	< 10
1199	37-82	Gallon	# 3 Plastic 52						< 50	< 10
1200	37-82	Gallon	# 4 Plastic 67						< 50	< 10
1201	37-82	Gallon	# 4 Plastic 70						< 50	< 10
1202	37-82	Gallon	# 5 Plastic 15						< 50	< 10
1203	37-82	Gallon	# 5 Plastic 16						< 50	< 10

CONTROLS:

Analyzed by: Susan Beasley
Plating Date: 08/25/2009 **Time:** 10:15
Temperature when analyzed: °C
SSF:

PAC: 0 **Equip:** 0
Air Density: 1 /15 min **Diluent and NB:** - / 0

Incubation temperature: 32.0 °C
Inhibitor test used:
Inhibitor Positive Control:
Inhibitor Negative Control:

Approved By: Susan Beasley