RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:		Sample Receipt:
Date: 08/25/2009	Time: 10:00 Collector: Joe Briscoe	Date: 08/26/2009 Time: 07:45
Temperature Controls:	Raw: °C Processed: °C Size:	Temperature: Raw: °C Processed: °C
Processor/Distributor:	DAIRYFRESH LLC SINGLE SERV. W-S ID#: 37-SS83	Received by: Susan Beasley

Environmental Microbiology

SAMPLE INFORMATION

Sample Group: ES082609-0081

CONTAINERS

Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1226		Gallon	Milk Container 506						< 50	< 10
1227		Gallon	Milk Container 510						< 50	< 10
1228		Gallon	Milk Container 512						< 50	< 10
1229		Gallon	Milk Container 515						< 50	< 10

RAW AND PROCESSED DAIRY PRODUCTS

		CONTROLS:		
Analyzed by:	Susan Beasley	PAC: 0	Equip: 0	
Plating Date:	08/26/2009 Time: 11:00	Air Density: 1 /15 min	Diluent and NB: - / 0	
Temperature wh	en analyzed: °C			
SSF:		Incubation temperature:	32.5 °C	
		Inhibitor test used:		
		Inhibitor Positive Control:		
Approved By:	Susan Beasley	Inhibitor Negative Control:		