

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 08/25/2009 **Time:** 13:00 **Collector:** Joe Briscoe
Temperature Controls: **Raw:** °C **Processed:** °C **Size:**
Processor/Distributor: CKS PACKAGING **ID#:** 37-SS86

Sample Receipt:

Date: 08/26/2009 **Time:** 07:45
Temperature: **Raw:** °C **Processed:** °C
Received by: Susan Beasley

Environmental Microbiology

Sample Group: ES082609-0082

| SAMPLE INFORMATION | | | | RAW AND PROCESSED DAIRY PRODUCTS | | | | | CONTAINERS | |
|--------------------|-----------|------------|---------------------|----------------------------------|-----------|--------------------------|-------------------------|-------|------------|------|
| Lab No. | Code Date | Size | Description | Residual Phos | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC | PRBC | PRCC |
| 1230 | | Gallon | Milk Container 2060 | | | | | | < 50 | < 10 |
| 1231 | | Gallon | Milk Container 2061 | | | | | | < 50 | < 10 |
| 1232 | | 1/2 Gallon | Milk Container 1 | | | | | | < 25 | < 5 |
| 1233 | | 1/2 Gallon | Milk Container 8 | | | | | | < 25 | < 5 |
| 1234 | | Quart | Milk Container 1 | | | | | | < 10 | < 2 |
| 1235 | | Quart | Milk Container 2 | | | | | | < 10 | < 2 |
| 1236 | | Pint | Milk Container 11 | | | | | | < 10 | < 2 |
| 1237 | | Pint | Milk Container 14 | | | | | | < 10 | < 2 |

CONTROLS:

Analyzed by: Susan Beasley
Plating Date: 08/26/2009 **Time:** 11:00
Temperature when analyzed: °C
SSF:

PAC: 0 **Equip:** 0
Air Density: 1 /15 min **Diluent and NB:** - / 0

Incubation temperature: 32.0 °C

Inhibitor test used:

Inhibitor Positive Control:

Inhibitor Negative Control:

Approved By: Susan Beasley