

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 09/08/2009 **Time:** 11:00 **Collector:** Joe Briscoe
Temperature Controls: **Raw:** °C **Processed:** 3 °C **Size:** Half Gallon
Processor/Distributor: DAIRYFRESH LLC Winston Salem **ID#:** 37-83

Sample Receipt:

Date: 09/09/2009 **Time:** 07:45
Temperature: **Raw:** 1.5 °C **Processed:** 1.5 °C
Received by: Susan Beasley

Environmental Microbiology

Sample Group: ES090909-0093

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1263	9-24	1/2 Gallon	Homo	Not Found	Not Found	<1 EPCC/ml	300 PAC/ml			
1264	9-20	Half Pint	2%	Not Found	Not Found	<1 EPCC/ml	310 PAC/ml			
1265	9-24	1/2 Gallon	1%	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1266	9-22	Gallon	Skim	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1267	9-24	1/2 Gallon	Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1268	9-19	Half Pint	1% Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1269	9-20	Half Pint	Skim Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1270	9-20	Half Pint	1% Strawberry	Not Found		<1 EHSCC/mL	<250 EPAC/ml			
1271	9-28	1/2 Gallon	Whole Buttermilk	Not Found		<1 EHSCC/g				
1272	9-24	1/2 Gallon	Skim Buttermilk	Not Found		<1 EHSCC/g				
1273			In Plant Raw #4 37*		Not Found		59000 PAC/ml			
1274			Past. Cream 35*	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			

CONTROLS:

Analyzed by: Susan Beasley
Plating Date: 09/09/2009 **Time:** 09:30
Temperature when analyzed: 1.5 °C
SSF:

Approved By: Susan Beasley

PAC: 0 **Equip:** 0
Air Density: 9 /15 min **Diluent and NB:** 0 / -
Incubation temperature: 32.0 °C
Inhibitor test used: Delvo P5
Inhibitor Positive Control: Purple
Inhibitor Negative Control: Yellow