

N.C. Department of Environmental, Health, and Natural Resources  
Division of Laboratory Services  
State Laboratory of Public Health  
P.O.Box 28047 - 4312 District Drive  
Raleigh, NC 27611-8047  
919-733-7308

DO NOT WRITE IN THIS SPACE

### BACTERIOLOGICAL ANALYSIS - PUBLIC WATER SYSTEM

Laboratory ID #: 37501 County: NEW HANOVER  
Water System ID #: 70-65-013  
Name of System: EAGLE ISLAND FRUIT & SEAFOOD  
Sample Type:  (1 = Routine; 2 = Repeat; 3 = Replacement; 4 = Plan Approval; 5 = Other)  
Collected on: DATE: 09/10/14 TIME: 09:32 AM  
Location where collected: KITCHEN SINK  
Location Type:  (1 = Entry Tap; 2 = General Tap; 3 = End Tap; 4 = Source/Intakes; 5 = Other)  
Location Code: \_\_\_\_\_ Collected By: Allen Baker

**FOR REPEAT SAMPLE:**

**FOR REPLACEMENT SAMPLE:**

Previous Positive Location Code: \_\_\_\_\_  
Positive Collection Date: \_\_\_\_\_  
Time: \_\_\_\_\_  
Proximity:   
(1 = Same; 2 = Upstream; 3 = Downstream)

Original Sample Type:   
(1=Routine; 2=Repeat; 3=Plan Approval; 4=Other)  
Original Collection Date: \_\_\_\_\_  
Time \_\_\_\_\_

Mail Results To:

**WILMINGTON REGIONAL OFFICE PWSS**

**WILMINGTON, NC 28405-3845**

**Telephone No. 910-796-7215**

**EIN #: 56 2033372 Q**

**COURIER #: 04-16-33**

Type of Supply:

Community  NTNC  
 Non-Community  Private

Type of Treatment:

Chlorinated  
 Non-Chlorinated

Free Chlorine Residual: \_\_\_\_\_  
Total Chlorine Residual: \_\_\_\_\_

**RESULTS**

CONTAMINANT	METHOD	PRESENT	ABSENT	INVALID
Total Coliform	<u>9223B</u>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fecal/E. Coli	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heterotrophic P.C.	_____	_____ /ml		
(number)				

Repeat Samples Required

Date Analysis Begun: 09/11/14  
Date Analysis Completed: 09/12/14  
Laboratory Log #: \_\_\_\_\_

COMMENTS: Special / Non-compliance (SP), System Type: TNC, Water Source: GW,  
Disinfectant Used: NA

**INVALID CODES**

- 1) Confluent Growth/No Coliform Found
- 2) TNTC/No Coliform Found
- 3) Turbid Culture/No Coliform Found
- 4) Over 30 Hours Old
- 5) Improper Sample or Analysis

Replacement Samples Required

Time Analysis Begun: 08:50 AM  
Time Analysis Completed: 09:00 AM  
Certified By: Susan Beasley

