Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection: Sample Receipt:

Temperature Controls: Raw: °C Processed: °C Size: Not Applicable Temperature: Raw: °C Processed: °C

Processor/Distributor: MILKCO, INC SINGLE SERVICE ID#: 37-82 Received by: Joy Hayes

Environmental Microbiology Sample Group: ES092110-0167

	SAMPLE INFORMATION			RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1347	37-82	Gallon	# 1 Plastic 1937						< 50	< 10
1348	37-82	Gallon	# 1 Plastic 1938						< 50	< 10
1349	37-82	Gallon	# 2 Plastic 2438						< 50	< 10
1350	37-82	Gallon	# 2 Plastic 2440						< 50	< 10
1351	37-82	Gallon	# 3 Plastic 50						< 50	< 10
1352	37-82	Gallon	# 3 Plastic 52						< 50	< 10
1353	37-82	Gallon	# 4 Plastic 67						50	< 10
1354	37-82	Gallon	# 4 Plastic 70						< 50	< 10
1355	37-82	Gallon	# 5 Plastic 11						< 50	< 10
1356	37-82	Gallon	# 5 Plastic 15						50	< 10

CONTROLS:

Analyzed by: Susan Beasley PAC: 0 Equip: 0

Plating Date: 09/21/2010 Time: 10:10 Air Density: 0 /15 min Diluent and NB: - / 0

Temperature when analyzed: °C

SSF: Incubation temperature: 32.0 °C

Inhibitor test used:

Inhibitor Positive Control:

Approved By: Susan Beasley Inhibitor Negative Control: