

Sample Submission and Reporting Form

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 09/21/2009      **Time:** 09:00      **Collector:** Chris Alexander  
**Temperature Controls:**      **Raw:** 40 °F      **Processed:** °C      **Size:** 4 Ounces  
**Processor/Distributor:** MILKCO INC      **ID#:** 37-82

**Sample Receipt:**

**Date:** 09/22/2009      **Time:** 07:30  
**Temperature:**      **Raw:** 1.0 °C      **Processed:** °C  
**Received by:** Joy Hayes

**Environmental Microbiology**

**Sample Group: ES092209-0083**

| SAMPLE INFORMATION |           |          |                | RAW AND PROCESSED DAIRY PRODUCTS |           |                          |                         | CONTAINERS |      |      |
|--------------------|-----------|----------|----------------|----------------------------------|-----------|--------------------------|-------------------------|------------|------|------|
| Lab No.            | Code Date | Size     | Description    | Residual Phos                    | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC      | PRBC | PRCC |
| 1341               |           | 4 Ounces | RT-0 Raw Milk  |                                  | Not Found |                          | 12000 PAC/ml            |            |      |      |
| 1342               |           | 4 Ounces | RT-3 Raw Milk  |                                  | Not Found |                          | 5300 PAC/ml             |            |      |      |
| 1343               |           | 4 Ounces | RT-10 Raw Milk |                                  | Not Found |                          | 69000 PAC/ml            |            |      |      |
| 1344               |           | 4 Ounces | RT-11 Raw Milk |                                  | Not Found |                          | 8700 PAC/ml             |            |      |      |
| 1345               |           | 4 Ounces | Raw Reclaim    |                                  | Not Found |                          | 16000 PAC/ml            |            |      |      |

**CONTROLS:**

**Analyzed by:** Susan Beasley  
**Plating Date:** 09/22/2009      **Time:** 09:30  
**Temperature when analyzed:** 1.0 °C  
**SSF:**

**Approved By:** Susan Beasley

**PAC:** 0      **Equip:** 1  
**Air Density:** 2 /15 min      **Diluent and NB:** 0 / -  
**Incubation temperature:** 32.0 °C  
**Inhibitor test used:** Delvo P5  
**Inhibitor Positive Control:** Purple  
**Inhibitor Negative Control:** Yellow