

**Sample Submission and Reporting Form**

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 09/29/14      **Time:** 10:45      **Collector:** Joe Briscoe  
**Temperature Controls:**      **Raw:** 36 °F      **Processed:** 1.5 °C      **Size:** Half Gallon  
**Processor/Distributor:** DAIRYFRESH-High Point      **ID#:** 37-102

**Sample Receipt:**

**Date:** 09/30/14      **Time:** 07:35  
**Temperature:**      **Raw:** 2.0 °C      **Processed:** 1.0 °C  
**Received by:** Denise Richardson

**Environmental Microbiology**

**Sample Group: ES093014-0088**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1405	10-19	Gallon	Whole	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1406	1015	Quart	2%	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1407	10-15	1/2 Gallon	1%	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1408	10-15	1/2 Gallon	Skim	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1409	10-16	1/2 Gallon	Whipping Cream	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			
1410	10-21	1/2 Gallon	Skim Buttermilk	Not Found		<1 EHSCC/g				
1411	10-21	1/2 Gallon	Whole Buttermilk	Not Found		<1 EHSCC/g				
1412		4 Ounces	Past. Cream Tk 10 42*	Lab Acciden	Not Found	<1 EHSCC/g	<250 EPAC/g			
1413		4 Ounces	In Plant Raw Tk 4 36*		Not Found		3900 PAC/ml			

**CONTROLS:**

**Analyzed By:** Darneice Owens

**Plating Date:** 09/30/14      **Time:** 08:55

**Temperature when Analyzed:** 2.0 °C

**Comment:** Sample #1412 - Residual Phos testing was not performed (Lab Accident) for this sample. We apologize for any inconvenience this may have caused. (SB)

**Approved By:** Susan Beasley

**PAC:** 0

**Air Density:** 0 /15 min

**Incubation Temperature:**

**Inhibitor Test Used:**

**Inhibitor Positive Control:**

**Inhibitor Negative Control:**

**Equip:** 1

**Diluent and NB:** 0/-

32.0 °C

Delvo P5

Purple

Yellow