RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

| Date: | 10/09/17 | Time: | 13:00 | Collector: | Mike De | nnis | |
|---------|-----------------|--------|--------|------------|---------|-------|-------------|
| Tempera | ature Controls: | Raw: 3 | 3.3 °C | Processed: | 4.0°C | Size: | Half Gallon |
| Process | or/Distributor: | HUNTE | R FARM | S | | ID#: | 37-087 |

Sample Receipt:

| Date: 10/10 | /17 Time: 07:35 | | |
|--------------|------------------------|------------|--------|
| Temperature | : Raw: 2.0 °C | Processed: | 2.0 °C |
| Received by: | Darneice Owens | | |

Environmental Microbiology

Sample Group: ES101017-0132

| | SAMPLE INFORMATION | | | RAW AND PROCESSED DAIRY PRODUCTS | | | | | CONTAINERS | | |
|--------|--------------------|------------|--------------------------|----------------------------------|-----------|-----------------------------|----------------------------|-------|------------|------|--|
| Lab No | Code Date | Size | Description | Residual Phos | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC | PRBC | PRCC | |
| 1776 | Oct.26 | 1/2 Gallon | Homo | Not Found | Not Found | <1 EPCC/ml | <250 EPAC/ml | | | | |
| 1777 | Oct.26 | 1/2 Gallon | 2% | Not Found | Not Found | <1 EPCC/ml | <250 EPAC/ml | | | | |
| 1778 | Oct.26 | 1/2 Gallon | 1% | Not Found | Not Found | <1 EPCC/ml | <250 EPAC/ml | | | | |
| 1779 | Oct.23 | 1/2 Gallon | 1/2 % | Not Found | Not Found | <1 EPCC/ml | 64,000 EPAC/ml | | | | |
| 1780 | Oct.26 | 1/2 Gallon | Skim | Not Found | Not Found | <1 EPCC/ml | <250 EPAC/ml | | | | |
| 1781 | Oct.24 | 1/2 Gallon | Light Cream | Not Found | Not Found | <1 EHSCC/g | <250 EPAC/g | | | | |
| 1782 | Oct.23 | 1/2 Gallon | Whipping Cream | Not Found | Not Found | <1 EHSCC/g | <250 EPAC/g | | | | |
| 1783 | | 100 mL | In Plant Raw Silo RT - 7 | | Not Found | | 380,000 EPAC/ml | | | | |

| Analyzed By: | Darneice Owens | |
|---------------|----------------|-------------|
| Plating Date: | 10/10/17 | Time: 08:30 |
| Temperature w | 2.0 °C | |
| Comment: | | |

Approved By: Susan Beasley

Turan Brasley

CONTROLS:

| PAC: 0 | | Equip: 0 | |
|-----------------|---------------|-----------------|-----|
| Air Density: | 0 /15 min | Diluent and NB: | 0/- |
| – | | | |
| Incubation Te | mperature: | 32.0 °C | |
| Inhibitor Test | Used: | Delvo P5 | |
| Inhibitor Posit | tive Control: | Purple | |
| Inhibitor Nega | tive Control: | Yellow | |