

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 10/19/2009 **Time:** 11:00 **Collector:** K. Sykes
Temperature Controls: **Raw:** 35 °F **Processed:** 36 °F **Size:** Quart
Processor/Distributor: MAOLA MILK & ICE CREAM **ID#:** 37-43

Sample Receipt:

Date: 10/20/2009 **Time:** 08:00
Temperature: **Raw:** 1.0 °C **Processed:** 0.0 °C
Received by: Susan Beasley

Environmental Microbiology

Sample Group: ES102009-0094

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1463	11-5	Half Pint	Skim (paper)	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1464	11-3	Half Pint	Skim Choc. (paper)	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1465	11-5	Half Pint	1% (paper)	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1466	11-5	14 Ounces	1% Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1467	11-2	Half Pint	1% Strawberry (pl)	Not Found		<1 EHSCC/mL	<250 EPAC/ml			
1468	11-5	1/2 Gallon	1% Acidophilus	Not Found		<1 EHSCC/mL				
1469	11-5	14 Ounces	2%	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1470	11-5	14 Ounces	Homo	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1471	11-16	Quart	Nonfat Buttermilk	Not Found		<1 EHSCC/g				
1472	11-16	1/2 Gallon	Buttermilk Blend	Not Found		<1 EHSCC/g				
1473	10-19	2 Ounces	Past. Cream (PT 8 39*)	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			
1474	10-19	2 Ounces	In Plant Raw (RT 2 37)		Not Found		5300 PAC/ml			
1475	10-19	2 Ounces	In Plant Raw ((RT 3-35)		Not Found		8400 PAC/ml			
1476	10-19	2 Ounces	In Plant Raw (RT 4-36*)		Not Found		14000 PAC/ml			

CONTROLS:

Analyzed by: Susan Beasley

Plating Date: 10/20/2009 **Time:** 09:15

Temperature when analyzed: 0.0 °C

SSF:

Approved By: Susan Beasley

PAC: 0 **Equip:** 1

Air Density: 0 /15 min **Diluent and NB:** 0 / -

Incubation temperature: 32.0 °C

Inhibitor test used: Delvo P5

Inhibitor Positive Control: Purple

Inhibitor Negative Control: Yellow