

**Sample Submission and Reporting Form**

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 11/05/12      **Time:** 10:00      **Collector:** Joe Briscoe  
**Temperature Controls:**      **Raw:** 38 °F      **Processed:** 2 °C      **Size:** Half Gallon  
**Processor/Distributor:** DAIRYFRESH LLC Winston Salem      **ID#:** 37-83

**Sample Receipt:**

**Date:** 11/06/12      **Time:** 07:45  
**Temperature:**      **Raw:** 1.0 °C      **Processed:** 1.0 °C  
**Received by:** Darneice Lyons

**Environmental Microbiology**

**Sample Group: ES110612-0115**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1548	11-17	Half Pint	Whole	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1549	11-21	Gallon	2%	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1550	11-20	1/2 Gallon	1%	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1551	11-18	Half Pint	Skim	Not Found	Not Found	<1 EPCC/ml	260 PAC/ml			
1552		1/2 Gallon	Chocolate Whole	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1553	11-19	1/2 Gallon	1% Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1554	11-16	Half Pint	Skim Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1555	11-17	Half Pint	Skim Strawberry	Not Found		<1 EHSCC/mL	<250 EPAC/ml			
1556	11-28	1/2 Gallon	Whole Buttermilk	Not Found		<1 EHSCC/g				
1557	11-28	1/2 Gallon	Skim Buttermilk	Not Found		<1 EHSCC/g				
1558		4 Ounces	Past Cream	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			
1559		4 Ounces	In Plant Raw #2		Not Found		19000 PAC/ml			

**CONTROLS:**

**Analyzed By:** Susan Beasley

**Plating Date:** 11/06/12      **Time:** 09:30

**Temperature when Analyzed:** 1.0 °C

**Comment:**

**Approved By:** Susan Beasley

**PAC:** 0

**Equip:** 0

**Air Density:** 2 /15 min

**Diluent and NB:** 0 / -

**Incubation Temperature:** 32.0 °C

**Inhibitor Test Used:** Delvo P5

**Inhibitor Positive Control:** Purple

**Inhibitor Negative Control:** Yellow