

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 11/16/12 **Time:** 09:15 **Collector:** Chris Alexander
Temperature Controls: **Raw:** 38 °F **Processed:** 36 °F **Size:** Half Gallon
Processor/Distributor: MILKCO INC **ID#:** 37-82

Sample Receipt:

Date: 11/07/12 **Time:** 08:00
Temperature: **Raw:** 1.0 °C **Processed:** 1.0 °C
Received by: Darneice Lyons

Environmental Microbiology

Sample Group: ES110712-0146

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1591	11/28	4 Ounces	PT-9 40% Cream 36°F	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			
1592	11/24	4 Ounces	2% Bag - N - Box 36°F	Not Found	Not Found	<1 EPCC/ml	300 PAC/ml			
1593	11/21	Gallon	1% Organic	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1594	11/21	Gallon	Fat-Free Organic	Not Found	Not Found	2 PCC/ml	<250 EPAC/ml			
1595	11/23	1/2 Gallon	Homo Organic	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1596	11/23	1/2 Gallon	2% Organic	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1597	11/20	1/2 Gallon	Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1598	11/23	8 Ounces	1% Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1599	11/23	Half Pint	Fat Free Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1600	11/20	Half Pint	Fat Free Strawberry	Not Found		<1 EHSCC/mL	<250 EPAC/ml			
1601		4 Ounces	RT-3 In Plant Raw 36°F		Not Found		4300 PAC/ml			
1602		4 Ounces	RT-8 In Plant Raw 38°F		Not Found		11000 PAC/ml			
1603		4 Ounces	RT-9 In Plant Raw 38°F		Not Found		9100 PAC/ml			

CONTROLS:

Analyzed By: Darneice Lyons

Plating Date: 11/07/12 **Time:** 10:30

Temperature when Analyzed: 1.0 °C

Comment:

Approved By: Susan Beasley

PAC: 0

Equip: 0

Air Density: 0 /15 min

Diluent and NB: 0/-

Incubation Temperature: 32.0 °C

Inhibitor Test Used: Delvo P5

Inhibitor Positive Control: Purple

Inhibitor Negative Control: Yellow