

**Sample Submission and Reporting Form**

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 11/09/2009      **Time:** 14:00      **Collector:** Ken Sykes  
**Temperature Controls:**      **Raw:** 34 °F      **Processed:** 37 °F      **Size:** Half Gallon  
**Processor/Distributor:** MAOLA MILK & ICE CREAM      **ID#:** 37-43

**Sample Receipt:**

**Date:** 11/10/2009      **Time:** 10:25  
**Temperature:**      **Raw:** 1.0 °C      **Processed:** 1.0 °C  
**Received by:** Darneice Lyons

**Environmental Microbiology**

**Sample Group: ES111009-0129**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1590	11-26	Half Pint	Skim (paper)	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1591	11-21	Half Pint	Skim Choc. (plastic)	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1592	11-26	Half Pint	1% (plastic)	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1593	11-22	Half Pint	1% Vanilla (paper)	Not Found		<1 EHSCC/mL	<250 EPAC/ml			
1594	11-26	14 Ounces	1% Chocolate (plastic)	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1595	11-23	Half Pint	1% Strawberry (plastic)	Not Found		<1 EHSCC/mL	<250 EPAC/ml			
1596	11-26	1/2 Gallon	1% Acidophilus	Not Found		<1 EHSCC/mL				
1597	11-26	14 Ounces	2%	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1598	11-26	Gallon	Homo	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1599	12-6	Quart	Non Fat Buttermilk	Not Found		<1 EHSCC/g				
1600	12-7	1/2 Gallon	Buttermilk Blend	Not Found		<1 EHSCC/g				
1601	12-6	Quart	Egg Nog	Not Found		1 HSCC/g	>200000 EPAC/g			
1602	11-9	2 Ounces	Past Cream (PT8 37*)	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			
1603	11-9	2 Ounces	In Plant Raw (RT 2 34*)		Not Found		36,000 PAC/ml			
1604	11-9	2 Ounces	In Plant Raw(RT 3 36*)		Not Found		7300 PAC/ml			

**CONTROLS:**

**Analyzed by:** Susan Beasley  
**Plating Date:** 11/10/2009      **Time:** 11:00  
**Temperature when analyzed:** 1.0 °C  
**SSF:**

**PAC:** 0      **Equip:** 0  
**Air Density:** 0 /15 min      **Diluent and NB:** 0 / -  
**Incubation temperature:** 32.0 °C  
**Inhibitor test used:** Delvo P5  
**Inhibitor Positive Control:** Purple  
**Inhibitor Negative Control:** Yellow

**Approved By:** Susan Beasley