

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 11/12/13 **Time:** 11:00 **Collector:** Joe Briscoe
Temperature Controls: **Raw:** 35 °F **Processed:** 2 °C **Size:** Half Pint
Processor/Distributor: DAIRYFRESH LLC Winston Salem **ID#:** 37-83

Sample Receipt:

Date: 11/13/13 **Time:** 07:50
Temperature: **Raw:** 0.5 °C **Processed:** 0.5 °C
Received by: Holly Braswell

Environmental Microbiology

Sample Group: ES111413-0157

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1636	11-27	Half Pint	Whole	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1637	11-30	Gallon	2%	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1638	12-1	1/2 Gallon	1%	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1639	11-24	Half Pint	Skim	Not Found	Not Found	<1 EPCC/ml	<250 EPAC/ml			
1640	11-30	1/2 Gallon	Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1641	11-30	1/2 Gallon	1% Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1642	11-25	Half Pint	Skim Chocolate	Not Found	Not Found	<1 EHSCC/mL	<250 EPAC/ml			
1643	11-25	Half Pint	Skim Strawberry	Not Found		<1 EHSCC/mL	<250 EPAC/ml			
1644	12-9	1/2 Gallon	Skim Buttermilk	Not Found		<1 EHSCC/g				
1645	12-7	1/2 Gallon	Whole Buttermilk	Not Found		<1 EHSCC/g				
1646		2 Ounces	Past Cream Load WT 34*	Not Found	Not Found	<1 EHSCC/g	<250 EPAC/g			
1647		2 Ounces	In Plant Raw #1 35*		Not Found		22000 PAC/ml			

CONTROLS:

Analyzed By: Holly Braswell

Plating Date: 11/13/13 **Time:** 10:15

Temperature when Analyzed: 0.5 °C

Comment:

Approved By: Susan Beasley

PAC: 0

Equip: 0

Air Density: 0 /15 min

Diluent and NB: 0/-

Incubation Temperature: 32.0 °C

Inhibitor Test Used: Delvo P5

Inhibitor Positive Control: Purple

Inhibitor Negative Control: Yellow