Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection: Sample Receipt:

Temperature Controls: Raw: °C Processed: °C Size: Temperature: Raw: °C Processed: °C

Processor/Distributor: MILKCO, INC SINGLE SERVICE ID#: 37-82 Received by: Darneice Lyons

Environmental Microbiology Sample Group: ES113010-0112

	SAMPLE INFORMATION			RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No.	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1708	37-82	Gallon	#1 Plastic 1937						< 50	< 10
1709	37-82	Gallon	#1 Plastic 1938						< 50	< 10
1710	37-82	Gallon	#2 Plastic 2438						< 50	< 10
1711	37-82	Gallon	#2 Plastic 2439						< 50	< 10
1712	37-82	Gallon	#3 Plastic 406						< 50	< 10
1713	37-82	Gallon	#3 Plastic 409						< 50	< 10
1714	37-82	Gallon	#4 Plastic 67						< 50	< 10
1715	37-82	Gallon	#4 Plastic 69						< 50	< 10
1716	37-82	Gallon	#5 Plastic 11						< 50	< 10
1717	37-82	Gallon	#5 Plastic 15						50	< 10

CONTROLS:

Analyzed by: Darneice Lyons PAC: 0 Equip: 0

 Plating Date:
 11/30/2010
 Time:
 10:30
 Air Density:
 0 /15 min
 Diluent and NB:
 -/0

Temperature when analyzed: °C

SSF: Incubation temperature: 32.0 °C

Inhibitor test used:

Inhibitor Positive Control:

Approved By: Susan Beasley Inhibitor Negative Control: