

Sample Submission and Reporting Form

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection:

Date: 12/14/2010 Time: 10:30 Collector: Chris Alexander
 Temperature Controls: Raw: °C Processed: °C Size:
 Processor/Distributor: MILKCO, INC SINGLE SERVICE ID#: 37-82

Sample Receipt:

Date: 12/15/2010 Time: 07:45
 Temperature: Raw: °C Processed: °C
 Received by: Joy Hayes

Environmental Microbiology

Sample Group: ES121510-0085

| SAMPLE INFORMATION | | | | RAW AND PROCESSED DAIRY PRODUCTS | | | | CONTAINERS | |
|--------------------|-----------|--------|-----------------|----------------------------------|-----------|--------------------------|-------------------------|------------|-----------|
| Lab No. | Code Date | Size | Description | Residual Phos | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC | PRBC PRCC |
| 1905 | 37-82 | Gallon | #1 Plastic 1938 | | | | | | < 50 < 10 |
| 1906 | 37-82 | Gallon | #1 Plastic 1939 | | | | | | < 50 < 10 |
| 1907 | 37-82 | Gallon | #2 Plastic 71 | | | | | | < 50 < 10 |
| 1908 | 37-82 | Gallon | #2 Plastic 72 | | | | | | < 50 < 10 |
| 1909 | 37-82 | Gallon | #3 Plastic 406 | | | | | | < 50 < 10 |
| 1910 | 37-82 | Gallon | #3 Plastic 409 | | | | | | < 50 < 10 |
| 1911 | 37-82 | Gallon | #4 Plastic 68 | | | | | | < 50 < 10 |
| 1912 | 37-82 | Gallon | #4 Plastic 69 | | | | | | < 50 < 10 |
| 1913 | 37-82 | Gallon | #5 Plastic 13 | | | | | | < 50 < 10 |
| 1914 | 37-82 | Gallon | #5 Plastic 15 | | | | | | < 50 < 10 |

CONTROLS:

Analyzed by: Joy Hayes
 Plating Date: 12/15/2010 Time: 09:30
 Temperature when analyzed: °C
 SSF:
 Comment: #1 Plastic 1939 (1937 on container)
 Approved By: Susan Beasley

PAC: 0 Equip: 0
 Air Density: 0 /15 min Diluent and NB: -/0
 Incubation temperature: 32.0 °C
 Inhibitor test used:
 Inhibitor Positive Control:
 Inhibitor Negative Control: