## Sample Submission and Reporting Form

## RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

Sample Collection: Sample Receipt:

Temperature Controls: Raw: °C Processed: 38 °F Size: Half Gallon Temperature: Raw: °C Processed: 0.0 °C

Processor/Distributor: MILKCO INC ID#: 37-82 Received by: Darneice Owens

Environmental Microbiology Sample Group: ES122017-0136

|        | SAMPLE INFORMATION |            |                       |                  | RAW AND PROCESSED DAIRY PRODUCTS |                             |                            |       | CONTAINERS |      |  |
|--------|--------------------|------------|-----------------------|------------------|----------------------------------|-----------------------------|----------------------------|-------|------------|------|--|
| Lab No | Code Date          | Size       | Description           | Residual<br>Phos | Inhibitor                        | Petrifilm Coliform<br>Count | Petrifilm Aerobic<br>Count | DMSCC | PRBC       | PRCC |  |
| 2366   | 1/10               | 1/2 Gallon | Sealtest Baking BM    | Not Found        |                                  | <1 EHSCC/g                  |                            |       |            |      |  |
| 2367   | 1/6                | 1/2 Gallon | Sealtest Chocolate    | Not Found        | Not Found                        | <1 EHSCC/mL                 | <250 EPAC/ml               |       |            |      |  |
| 2368   | 1/10               | 1/2 Gallon | Sealtest Whole BM     | Not Found        |                                  | <1 EHSCC/g                  |                            |       |            |      |  |
| 2369   | 1/6                | 1/2 Gallon | Laura Lynn 2%         | Not Found        | Not Found                        | <1 EPCC/ml                  | <250 EPAC/ml               |       |            |      |  |
| 2370   | 1/6                | 1/2 Gallon | Laura Lynn Skim Delux | Not Found        | Not Found                        | <1 EPCC/ml                  | <250 EPAC/ml               |       |            |      |  |
| 2371   | 1/6                | 1/2 Gallon | Nutrish               | Not Found        |                                  | <1 EHSCC/mL                 |                            |       |            |      |  |
| 2372   | 1/6                | 1/2 Gallon | Sealtest Skim         | Not Found        | Not Found                        | <1 EPCC/ml                  | <250 EPAC/ml               |       |            |      |  |

## **CONTROLS:**

**PAC**: 2 **Equip**: 0

Air Density: 0 /15 min Diluent and NB: 2 / -

Incubation Temperature:32.0 °CInhibitor Test Used:Delvo P5Inhibitor Positive Control:PurpleInhibitor Negative Control:Yellow

Approved By: Susan Beasley

Analyzed By: Darneice Owens

Temperature when Analyzed:

Time: 10:10

Trean Brasley

0.0 °C

**Plating Date:** 12/20/17