A CHAN VIEW				h Carolina State Laboratory of Public Health Environmental Sciences Microbiology MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS					4312 District Drive MSC 1918 Raleigh, NC 27699-1918 http://slph.ncpublichealth.com Phone: 919-733-7308 Fax: 919-715-8611 FINAL REPORT	
Sample Collection: Sample Receipt:										
Date:	ate: 09/05/2018 Time: 08:30		Collector: Ginger Wilborn		Date: (Date: 09/05/2018 Time:				
Temperature Controls: Raw: 35 ⁰F			Raw: 35 °F	Processed: 36 °	F Size: Pint	Tempera	Temperature: Raw:		Processed:	1.0 ℃
Processor/Distributor: Maple View D #: 37-090		Maple View		Received by:		d by: Sus	an Beasley			
Environmental Microbiology							Sam		ES180905-0142	
	SAMI	PLE INFOR	MATION	RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
641	10/02/18	Quart	Buttermilk	Not Found		<1 eHSCC/g				
642	09/21/18	Quart	Lowfat Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			
643	09/21/18	Quart	Skim Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			
644	09/21/18	Pint	Whipping Cream	Not Found	Not Found	<1 eHSCC/g	<250 eRAC/g			
044	09/23/18	Pint	Whole Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			
	09/22/18	Pint	Chocolate Milk	Not Found	Not Found	<1 eHSCC/mL	<250 eRAC/mL			
645		3 oz.	Farm Raw		Not Found		170,000 RAC/mL	130,000 /mL		
645 646					Not Found		190,000 RAC/mL			
645 646 647		3 oz.	Plant Raw		NOL FOUND					
645 646 647 648			Plant Raw Glass Bottle		Not Found				<25	<5
645 646 647 648 649		3 oz.			Not Found				<25 >6200	<5 <5
645 646 647 648 649 650 651		3 oz. Half Gallon	Glass Bottle		Νοι Ρομπα					

Date Reported: 09/10/2018

Reported By: Susan Beasley