

North Carolina State Laboratory of Public Health

Environmental Sciences

Microbiology

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive

MSC 1918

Raleigh, NC 27699-1918

http://slph.ncpublichealth.com Phone: 919-733-7308 Fax: 919-715-8611

FINAL REPORT

Sample Collection: Sample Receipt:

Temperature Controls: Raw: 38 °F Processed: 39 °F Size: 0.5 Gallon Temperature: Raw: 0.5 °C Processed: 0.5 °C

Processor/Distributor: Mills River Creamery Received by: Susan Beasley

ID #: 37-169

Environmental Microbiology Sample Group: ES181213-0077

	SAMPLE INFORMATION			RAW AND PROCESSED DAIRY PRODUCTS					CON	CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC	
2317		3 oz.	In Plant Raw		Not Found		<2500 eRAC/mL				
2318	12/28/18	0.5 Gallon	Whole Milk	Not Found	Not Found	<1 PCC/ml	<250 RAC/mL				
2319	12/30/18	0.5 Gallon	Chocolate	Not Found	Not Found	<1 HSCC/mL	<250 RAC/mL				
2320	01/05/19	0.5 Gallon	Buttermilk	Not Found		<1 HSCC/g					
2321	01/02/19	Quart	Egg Nog	Not Found		<1 HSCC/g	<250 RAC/g				
2322	12/23/18	Quart	Heavy Cream	Not Found	Not Found	<1 HSCC/g	<250 RAC/g				
2323	12/23/18	Quart	Н&Н	Not Found	Not Found	<1 HSCC/g	<250 RAC/g				

Comment: Rapid Aerobic Count (RAC) plates used in testing. NOTE: All coliform results should read as <1 Estimated/ mL or g.

Date Reported: 01/02/2019 Reported By: Susan Beasley