



North Carolina State Laboratory of Public Health
Environmental Sciences
Organic Chemistry

4312 District Drive
MSC 1918
Raleigh, NC 27611-8047

<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

Certificate of Analysis

FINAL REPORT

Report to: Kenny Melder

GUILFORD COUNTY ENVIRONMENTAL HEALTH (WQU)
400 W MARKET STREET SUITE 300
GREENSBORO, NC 27401

Name of System:

Kermit Britt
5610 Lindenshire Dr
Greensboro, NC 27406

EIN: 566000305B

Delivery:

Guilford County

StarLiMS ID: ES201022-0133-001

Date Collected: 10/21/2020

Time Collected: 12:15

By: Kenny Melder

Sample ID: 200425

Date Received: 10/22/2020

Time Received: 09:25

By: Rachel Odom

Sample Type:

Sampling Point:

Well Permit #

Sample Source: Well water

Temp. at Receipt: 5.2 °C

GPS #

Comment:

PETROLEUM Profile

Method: Default

Analyte	Test Result	Reporting Limit	Unit	Qualifier(s)
Petroleum	No Petroleum Products identified		N/A	
Dichlorodifluoromethane	Not Detected	0.50	ug/L	
Chloromethane	Not Detected	0.50	ug/L	
Vinyl chloride	Not Detected	0.50	ug/L	
Bromomethane	Not Detected	0.50	ug/L	
Chloroethane	Not Detected	0.50	ug/L	
Trichlorofluoromethane	Not Detected	0.50	ug/L	
Acetone	Not Detected	0.50	ug/L	
1,1-Dichloroethene	Not Detected	0.50	ug/L	
Iodomethane	Not Detected	0.50	ug/L	
Methylene chloride	Not Detected	0.50	ug/L	
Acrylonitrile	Not Detected	0.50	ug/L	
Carbon Disulfide	Not Detected	0.50	ug/L	
trans-1,2-Dichloroethene	Not Detected	0.50	ug/L	
MTBE	Not Detected	0.50	ug/L	
1,1-Dichloroethane	Not Detected	0.50	ug/L	
cis-1,2-Dichloroethene	Not Detected	0.50	ug/L	
Isopropyl Ether	Not Detected	0.50	ug/L	
2-Butanone (MEK)	Not Detected	0.50	ug/L	
Bromochloromethane	Not Detected	0.50	ug/L	
2,2-Dichloropropane	Not Detected	0.50	ug/L	
Chloroform	Not Detected	0.50	ug/L	
Tetrahydrofuran	Not Detected	0.50	ug/L	
1,1,1-Trichloroethane	Not Detected	0.50	ug/L	



North Carolina State Laboratory of Public Health
Environmental Sciences
Organic Chemistry

4312 District Drive
MSC 1918
Raleigh, NC 27611-8047

<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

Certificate of Analysis

FINAL REPORT

Report to: Kenny Melder

GUILFORD COUNTY ENVIRONMENTAL HEALTH (WQU)

400 W MARKET STREET SUITE 300

GREENSBORO, NC 27401

Name of System:

Kermit Britt

5610 Lindenshire Dr

Greensboro, NC 27406

EIN: 566000305B

Delivery:

Guilford County

StarLiMS ID: ES201022-0133-001

Date Collected: 10/21/2020

Time Collected: 12:15

By: Kenny Melder

Sample ID: 200425

Date Received: 10/22/2020

Time Received: 09:25

By: Rachel Odom

Sample Type:

Sampling Point:

Well Permit #

Sample Source: Well water

Temp. at Receipt: 5.2 °C

GPS #

Comment:

1,1-Dichloropropene	Not Detected	0.50	ug/L
Carbon Tetrachloride	Not Detected	0.50	ug/L
Benzene	Not Detected	0.50	ug/L
1,2-Dichloroethane	Not Detected	0.50	ug/L
Trichloroethene	Not Detected	0.50	ug/L
1,2-Dichloropropane	Not Detected	0.50	ug/L
Dibromomethane	Not Detected	0.50	ug/L
4-Methyl-2-pentanone	Not Detected	0.50	ug/L
Bromodichloromethane	Not Detected	0.50	ug/L
cis-1,3-Dichloropropene	Not Detected	0.50	ug/L
Toluene	Not Detected	0.50	ug/L
trans-1,3-Dichloropropene	Not Detected	0.50	ug/L
1,1,2-Trichloroethane	Not Detected	0.50	ug/L
1,3-Dichloropropane	Not Detected	0.50	ug/L
Tetrachloroethene	Not Detected	0.50	ug/L
Dibromochloromethane	Not Detected	0.50	ug/L
2-Hexanone	Not Detected	0.50	ug/L
1,2-Dibromoethane(EDB)	Not Detected	0.50	ug/L
Chlorobenzene	Not Detected	0.50	ug/L
1,1,1,2-Tetrachloroethane	Not Detected	0.50	ug/L
Ethylbenzene	Not Detected	0.50	ug/L
m&p-xylene	Not Detected	1.0	ug/L
o-Xylene	Not Detected	0.50	ug/L
Styrene	Not Detected	0.50	ug/L
Bromoform	Not Detected	0.50	ug/L
Isopropylbenzene	Not Detected	0.50	ug/L
1,1,2,2-Tetrachloroethane	Not Detected	0.50	ug/L
1,2,3-Trichloropropane	Not Detected	0.50	ug/L



North Carolina State Laboratory of Public Health
Environmental Sciences
Organic Chemistry

4312 District Drive
MSC 1918
Raleigh, NC 27611-8047
<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

Certificate of Analysis

FINAL REPORT

Report to: Kenny Melder

GUILFORD COUNTY ENVIRONMENTAL HEALTH (WQU)
400 W MARKET STREET SUITE 300
GREENSBORO, NC 27401

Name of System:

Kermit Britt
5610 Lindenshire Dr
Greensboro, NC 27406

EIN: 566000305B

Delivery:

Guilford County

StarLiMS ID: **ES201022-0133-001**

Date Collected: 10/21/2020

Time Collected: 12:15

By: **Kenny Melder**

Sample ID: **200425**

Date Received: 10/22/2020

Time Received: 09:25

By: **Rachel Odom**

Sample Type:

Sampling Point:

Well Permit #

Sample Source: Well water

Temp. at Receipt: 5.2 °C

GPS #

Comment:

Bromobenzene	Not Detected	0.50	ug/L
n-Propylbenzene	Not Detected	0.50	ug/L
2-Chlorotoluene	Not Detected	0.50	ug/L
4-Chlorotoluene	Not Detected	0.50	ug/L
1,3,5-Trimethylbenzene	Not Detected	0.50	ug/L
tert-Butylbenzene	Not Detected	0.50	ug/L
1,2,4-Trimethylbenzene	Not Detected	0.50	ug/L
sec-Butylbenzene	Not Detected	0.50	ug/L
1,4-Dichlorobenzene	Not Detected	0.50	ug/L
1,3-Dichlorobenzene	Not Detected	0.50	ug/L
4-Isopropyltoluene	Not Detected	0.50	ug/L
1,2-Dichlorobenzene	Not Detected	0.50	ug/L
n-Butylbenzene	Not Detected	0.50	ug/L
1,2-Dibromo-3-chloropropane (DBCP)	Not Detected	0.50	ug/L
1,2,4-Trichlorobenzene	Not Detected	0.50	ug/L
Naphthalene	Not Detected	0.50	ug/L
Hexachlorobutadiene	Not Detected	0.50	ug/L
1,2,3-Trichlorobenzene	Not Detected	0.50	ug/L
Total Xylenes	Not Detected	0.50	ug/L



North Carolina State Laboratory of Public Health
Environmental Sciences
Organic Chemistry

4312 District Drive
MSC 1918
Raleigh, NC 27611-8047

<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

Certificate of Analysis

FINAL REPORT

Report to: Kenny Melder

GUILFORD COUNTY ENVIRONMENTAL HEALTH (WQU)

400 W MARKET STREET SUITE 300

GREENSBORO, NC 27401

Name of System:

Kermit Britt

5610 Lindenshire Dr

Greensboro, NC 27406

EIN: 566000305B

Delivery:

Guilford County

StarLiMS ID: ES201022-0133-002

Date Collected: 09/11/2020

Time Collected: 00:01

By: RO

Sample ID: 200426

Date Received: 10/22/2020

Time Received: 09:25

By: Rachel Odom

Sample Type:

Sampling Point:

Well Permit #

Sample Source: Trip Blank

Temp. at Receipt: 5.2 °C

GPS #

Comment:

VOCs Profile

Method: EPA 524.2

Analyte	Test Result	Reporting Limit	Unit	Qualifier(s)
Dichlorodifluoromethane	Not Detected	0.50	ug/L	
Chloromethane	Not Detected	0.50	ug/L	
Vinyl chloride	Not Detected	0.50	ug/L	
Bromomethane	Not Detected	0.50	ug/L	
Chloroethane	Not Detected	0.50	ug/L	
Trichlorofluoromethane	Not Detected	0.50	ug/L	
Acetone	Not Detected	0.50	ug/L	
1,1-Dichloroethene	Not Detected	0.50	ug/L	
Iodomethane	Not Detected	0.50	ug/L	
Methylene chloride	Not Detected	0.50	ug/L	
Acrylonitrile	Not Detected	0.50	ug/L	
Carbon Disulfide	Not Detected	0.50	ug/L	
trans-1,2-Dichloroethene	Not Detected	0.50	ug/L	
MTBE	Not Detected	0.50	ug/L	
1,1-Dichloroethane	Not Detected	0.50	ug/L	
cis-1.2-Dichloroethene	Not Detected	0.50	ug/L	
Isopropyl Ether	Not Detected	0.50	ug/L	
2-Butanone (MEK)	Not Detected	0.50	ug/L	
Bromochloromethane	Not Detected	0.50	ug/L	
2,2-Dichloropropane	Not Detected	0.50	ug/L	
Chloroform	Not Detected	0.50	ug/L	
Tetrahydrofuran	Not Detected	0.50	ug/L	
1,1,1-Trichloroethane	Not Detected	0.50	ug/L	
1,1-Dichloropropene	Not Detected	0.50	ug/L	
Carbon Tetrachloride	Not Detected	0.50	ug/L	



North Carolina State Laboratory of Public Health
Environmental Sciences
Organic Chemistry

4312 District Drive
MSC 1918
Raleigh, NC 27611-8047

<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

Certificate of Analysis

FINAL REPORT

Report to: Kenny Melder

GUILFORD COUNTY ENVIRONMENTAL HEALTH (WQU)

400 W MARKET STREET SUITE 300

GREENSBORO, NC 27401

Name of System:

Kermit Britt

5610 Lindenshire Dr

Greensboro, NC 27406

EIN: 566000305B

Delivery:

Guilford County

StarLiMS ID: ES201022-0133-002

Date Collected: 09/11/2020

Time Collected: 00:01

By: RO

Sample ID: 200426

Date Received: 10/22/2020

Time Received: 09:25

By: Rachel Odom

Sample Type:

Sampling Point:

Well Permit #

Sample Source: Trip Blank

Temp. at Receipt: 5.2 °C

GPS #

Comment:

Benzene	Not Detected	0.50	ug/L
1,2-Dichloroethane	Not Detected	0.50	ug/L
Trichloroethene	Not Detected	0.50	ug/L
1,2-Dichloropropane	Not Detected	0.50	ug/L
Dibromomethane	Not Detected	0.50	ug/L
4-Methyl-2-pentanone	Not Detected	0.50	ug/L
Bromodichloromethane	Not Detected	0.50	ug/L
cis-1,3-Dichloropropene	Not Detected	0.50	ug/L
Toluene	Not Detected	0.50	ug/L
trans-1,3-Dichloropropene	Not Detected	0.50	ug/L
1,1,2-Trichloroethane	Not Detected	0.50	ug/L
1,3-Dichloropropane	Not Detected	0.50	ug/L
Tetrachloroethene	Not Detected	0.50	ug/L
Dibromochloromethane	Not Detected	0.50	ug/L
2-Hexanone	Not Detected	0.50	ug/L
1,2-Dibromoethane(EDB)	Not Detected	0.50	ug/L
Chlorobenzene	Not Detected	0.50	ug/L
1,1,1,2-Tetrachloroethane	Not Detected	0.50	ug/L
Ethylbenzene	Not Detected	0.50	ug/L
m&p-xylene	Not Detected	1.0	ug/L
o-Xylene	Not Detected	0.50	ug/L
Styrene	Not Detected	0.50	ug/L
Bromoform	Not Detected	0.50	ug/L
Isopropylbenzene	Not Detected	0.50	ug/L
1,1,2,2-Tetrachloroethane	Not Detected	0.50	ug/L
1,2,3-Trichloropropane	Not Detected	0.50	ug/L
Bromobenzene	Not Detected	0.50	ug/L
n-Propylbenzene	Not Detected	0.50	ug/L



North Carolina State Laboratory of Public Health
Environmental Sciences
Organic Chemistry

4312 District Drive
MSC 1918
Raleigh, NC 27611-8047

<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

Certificate of Analysis

FINAL REPORT

Report to: Kenny Melder

GUILFORD COUNTY ENVIRONMENTAL HEALTH (WQU)

400 W MARKET STREET SUITE 300

GREENSBORO, NC 27401

Name of System:

Kermit Britt

5610 Lindenshire Dr

Greensboro, NC 27406

EIN: 566000305B

Delivery:

Guilford County

StarLiMS ID: ES201022-0133-002

Date Collected: 09/11/2020

Time Collected: 00:01

By: RO

Sample ID: 200426

Date Received: 10/22/2020

Time Received: 09:25

By: Rachel Odom

Sample Type:

Sampling Point:

Well Permit #

Sample Source: Trip Blank

Temp. at Receipt: 5.2 °C

GPS #

Comment:

2-Chlorotoluene	Not Detected	0.50	ug/L
4-Chlorotoluene	Not Detected	0.50	ug/L
1,3,5-Trimethylbenzene	Not Detected	0.50	ug/L
tert-Butylbenzene	Not Detected	0.50	ug/L
1,2,4-Trimethylbenzene	Not Detected	0.50	ug/L
sec-Butylbenzene	Not Detected	0.50	ug/L
1,4-Dichlorobenzene	Not Detected	0.50	ug/L
1,3-Dichlorobenzene	Not Detected	0.50	ug/L
4-Isopropyltoluene	Not Detected	0.50	ug/L
1,2-Dichlorobenzene	Not Detected	0.50	ug/L
n-Butylbenzene	Not Detected	0.50	ug/L
1,2-Dibromo-3-chloropropane (DBCP)	Not Detected	0.50	ug/L
1,2,4-Trichlorobenzene	Not Detected	0.50	ug/L
Naphthalene	Not Detected	0.50	ug/L
Hexachlorobutadiene	Not Detected	0.50	ug/L
1,2,3-Trichlorobenzene	Not Detected	0.50	ug/L
Total Xylenes	Not Detected	0.50	ug/L

Report Date: 11/12/2020

Reported By: James Parrish