

## **North Carolina State Laboratory of Public Health**

**Environmental Sciences** 

**Microbiology** 

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive

MSC 1918

Raleigh, NC 27699-1918

http://slph.ncpublichealth.com Phone: 919-733-7308 Fax: 919-715-8611

**FINAL REPORT** 

Sample Collection: Sample Receipt:

**Date:** 04/07/2021 **Time:** 09:49 **Collector:** Stephanie Moore **Date:** 04/07/2021 **Time:** 11:10

Temperature Controls: Raw: 38 °F Processed: 36 °F Size: Pint Temperature: Raw: 2.0 °C Processed: 1.0 °C

Processor/Distributor: Mapleview Received by: Denise Richardson

**ID #**: 37-090

Environmental Microbiology Sample Group: ES210407-0086

	SAMI	PLE INFOR	MATION		RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC	
495	04/23/21	Pint	Whole Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL				
496	04/23/21	Pint	Heavy Whipping Cream	Not Found	Not Found	<1 eHSCC/g	<250 eRAC/g				
497	04/24/21	Pint	Chocolate Milk	Not Found	Not Found	<1 eHSCC/mL	<250 eRAC/mL				
498	04/27/21	Quart	Buttermilk	Not Found		14 HSCC/g					
499	04/23/21	Quart	Lowfat Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL				
500	04/23/21	Quart	Skim Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL				
501		8 oz.	In Plant Raw		Not Found		<2500 eRAC/mL				
502		8 oz.	Farm Raw		Not Found		<2500 eRAC/mL	63,000 /mL			
503		Half Gallon	Glass Bottles						250	<5	
504		Half Gallon	Glass Bottles						<25	<5	
505		Half Gallon	Glass Bottle						125	<5	
506		Half Gallon	Glass Bottle						<25	<5	

Comment:

Date Reported: 04/08/2021 Reported By: KPLEMMONS