| THE SLATE OF TOTAL OF THE OTHER OTHER OF THE | North Carolina State Laboratory of Public Health<br>Environmental Sciences<br>Microbiology<br>RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS |                                  |                  |                             |                                  |        |             | 4312 District Drive<br>MSC 1918<br>Raleigh, NC 27699-1918<br>http://slph.ncpublichealth.com<br>Phone: 919-733-7308<br>Fax: 919-715-8611<br><b>FINAL REPORT</b> |   |
|--|---|----------------------------------|------------------|-----------------------------|----------------------------------|--------|-------------|--|---|
| Sample Collection:   |   |                                  |                  | Sample                      | Sample Receipt:                  |        |             |  |   |
| Date: 02/08/2022   | Time: 12:45   | Collector: Debra                 | a E Harmon       | Date:                       | Date: 02/09/2022                 |        | 07:25       |  |   |
| Temperature Controls:  | <b>Raw:</b> 38°F  | Processed:                       | Size: 200        | mL Temper                   | ature:                           | Raw:   | 1.0°C       | Processed:   |   |
| Processor/Distributor:   | Alamance Foods  |                                  |                  | Receive                     | Received by:                     |        | ita Newborn |  |   |
| Environmental Microbiology   | 1   |                                  |                  |                             |                                  | Sampl  | le Group:   | ES220209-018   | 2 |
| SAMPLE INFO  |   | RAW AND PROCESSED DAIRY PRODUCTS |                  |                             |                                  |        | CONTAINERS  |  |   |
| Lab Code Size<br>No Date   | Description   | Residual<br>Phos                 | Inhibitor        | Petrifilm Coliform<br>Count | Petrifilm Aerobic DMSCC<br>Count |        | PRBC        | PRCC   |   |
| 264 200 mL   | Plant Raw Tank 2  |                                  | Not Found        |                             | <250 ePAC/g                      |        |             |  |   |
| 265 200 mL   | Plant Raw Tank 3  |                                  | Not Found <250 e |                             |                                  | ePAC/g |             |  |   |

## Comment:

**Date Reported:** 02/11/2022

Reported By: KPLEMMONS