THE CLAM WINDOW				rth Carolina State Laboratory of Public Health Environmental Sciences Microbiology MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS					4312 District Drive MSC 1918 Raleigh, NC 27699-1918 http://slph.ncpublichealth.com Phone: 919-733-7308 Fax: 919-715-8611 FINAL REPORT	
			Raw: 39°F	<b>Collector:</b> Justin Henderson <b>Processed:</b> 37°C <b>Size:</b> Half Gallo		Date:			Processed: 1.0°C	
Environmental Microbiology SAMPLE INFORMATION				_	Sam RAW AND PROCESSED DAIRY PRODUCTS			ple Group:	ES220921-0081 CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1682	10/09/22	Gallon	Whole Milk	Not Found	Not Found	<1 ePCC/mL	360 PAC/mL			
683	10/07/22	Half Gallon	1% Chocolate Milk	Not Found	Not Found	<1 eHSCC/mL	<250 ePAC/mL			
1684	10/10/22	Gallon	2% Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
685	10/10/22	Gallon	1% Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
1686 1687	10/10/22	Gallon 100 mL	Fat Free Milk Plant Raw	Not Found	Not Found Not Found	<1 ePCC/mL	<250 ePAC/mL 19.000 PAC/mL			

Comment:

**Date Reported:** 09/23/2022

Reported By: KPLEMMONS